

# ATOMIZATION AND SPRAYS

CONTENTS, VOLUME 27, 2017

---

Page Range of Issues – 1: 1–94; Issue 2: 95–188; Issue 3: 189–284; Issue 4: 285–382; Issue 5: 383–476; Issue 6: 477–568; Issue 7: 569–664; Issue 8: 665–757; Issue 9: 759–834; Issue 10: 835–911; Issue 11: 913–997; Issue 12: 999–1087

---

## Issue 1

Dynamic Surface Tension of Gasoline and Alcohol Fuel Blends <i>O. Levi, R. Freud, &amp; E. Sher</i>	1
Analysis of Hollow-Cone Spray Injected in an Unconfined, Isothermal, Coannular Swirling Jet Environment <i>S.D. Sanadi, K. Rajamanickam, &amp; S. Basu</i>	7
Column Thickness Variation of 100- $\mu$ m Liquid Jets in Still Air <i>J. Lee &amp; K.A. Sallam</i>	31
Effects of Early-Injection Strategy on the Combustion and Emission Characteristics of a PCCI Diesel Engine <i>S. Park, W.I. Kim, &amp; K. Lee</i>	45
Assessment of Droplet Breakup Models in High-Speed Cross-Flow <i>A. Bhandarkar, P. Manna, &amp; D. Chakraborty</i>	61
Coalescence and Agglomeration of Droplets Sprayed on a Substrate <i>A. Dalili, J. Esmaelpanah, S. Chandra, &amp; J. Mostaghimi</i>	81

## Issue 2

Direct Simulations of Liquid Sheet Breakup in Planar Gas Blast Atomization <i>R. Reddy &amp; R. Banerjee</i>	95
Analysis of Primary Breakup Images from an Engine-Related Sheet Atomizer <i>F. Mathieu, M.A. Reddemann, &amp; R. Kneer</i>	117
Flow Characteristics of Close-Type Swirl Injectors Manufactured by a 3D Printer <i>W. Yoon &amp; K. Ahn</i>	131
Numerical Study of a Self-Pulsating Injector <i>Q.-f. Fu, C.-j. Mo, &amp; L.-j. Yang</i>	139
Multiresolution Reconstruction of Local Drop-Size Distributions and Liquid Volume Concentration from Finite-Width Laser Diffraction Data <i>S. Tanchatchawan, P. Vallikul, P. Yongyingsathorn, &amp; C. Dumouchel</i>	151
Effect of Atomizer Internal Geometry on the Internal and External Two-Phase Flow in Effervescent Atomization <i>M.H. Jobehdar, K. Siddiqui, A.H. Gadallah, &amp; W.A. Chishty</i>	169

## Issue 3

String Cavitation in a Fuel Injector <i>R.H. Pratama, A. Sou, T. Katsui, &amp; S. Nishio</i>	189
Evaporation Behavior of a Water Droplet Impinging onto Heated Porous Substrates <i>J.W. Kee &amp; S.Y. Lee</i>	207
Numerical Simulation of Primary Breakup of Round Nonturbulent Liquid Jets in Shear-Laden Gaseous Crossflow <i>M. Jadidi, S. Moghtadernejad, &amp; A. Dolatabadi</i>	227

<b>Near Field Visualization of Diesel Spray for Different Nozzle Inclination Angles in Non-Vaporizing Conditions</b>	<b>251</b>
<i>R. Payri, G. Bracho, P. Martí-Aldaraví, &amp; A. Viera</i>	
<b>Study of Primary Breakup of Molten Tin during Powder Production in Free-Fall Configuration</b>	<b>269</b>
<i>S. Sarkar, W.S. Prashanth, T.N.C. Anand, P.V. Sivaprasad, &amp; S. Bakshi</i>	

## Issue 4

### SPECIAL SECTION: NON-NEWTONIAN DROPS AND SPRAYS GUEST EDITOR: VOLFANGO BERTOLA

<b>Preface: Non-Newtonian Drops and Sprays</b>	<b>v</b>
<i>V. Bertola</i>	
<b>The Formation of Drops from Viscoelastic Liquid Jets and Sheets—An Overview</b>	<b>285</b>
<i>G. Brenn &amp; G. Plohl</i>	
<b>Analysis Methods for Direct Numerical Simulations of Primary Breakup of Shear-Thinning Liquid Jets</b>	<b>303</b>
<i>M. Ertl &amp; B. Weigand</i>	
<b>Atomization of Viscoelastic Fluids with an Impinging Jet Injector: Morphology and Physical Mechanism of Thread Formation</b>	<b>319</b>
<i>M. Negri &amp; H.K. Ciezki</i>	
<b>Quantitative Measures of Yield-Stress Fluid Drop Impacts on Coated Surfaces</b>	<b>337</b>
<i>B.C. Blackwell, M.E. Deetjen, J.E. Gaudio, &amp; R. H. Ewoldt</i>	

### REGULAR ISSUE: VOLUME 27, ISSUE 4

<b>Investigation of Homogeneous Relaxation Model Parameters and Their Implications for Gasoline Injectors</b>	<b>345</b>
<i>K. Saha, S. Som, &amp; M. Battistoni</i>	
<b>A Simple Application of the Spray-Flamelet Approach to the Simulation of Biphasic and Multi-Component Fuel with Non-Unity Lewis Numbers</b>	<b>367</b>
<i>D.O. Maionchi</i>	

## Issue 5

<b>Mechanism Study on Rock Breaking with Supercritical Carbon Dioxide Jet</b>	<b>383</b>
<i>H. Wang, G. Li, Z. He, Z. Shen, M. Wang, &amp; Y. Wang</i>	
<b>Impact of Particle-Laden Drops: Splashing Criterion</b>	<b>395</b>
<i>V. Grishaev, C.S. Iorio, F. Dubois, &amp; A. Amirfazli</i>	
<b>Dynamics of the Emulsified Fuel Drop Microexplosion</b>	<b>407</b>
<i>O.G. Girin</i>	
<b>Two-Dimensional Temporal Instability of a Viscoelastic Liquid Sheet of a Parabolic Velocity Profile</b>	<b>423</b>
<i>R.-Z. Duan, Z.-Y. Wang, Z.-Y. Chen, &amp; L.-S. Liu</i>	
<b>Axisymmetric Simulations of Drop Deformation and Breakup for Validation of a Modified Taylor Analogy Breakup Model</b>	<b>439</b>
<i>C. Liang, K.A. Feigl, &amp; F.X. Tanner</i>	
<b>Production of Polymer Microparticles by Electrospray Atomization</b>	<b>457</b>
<i>S. Sander, C. Tischler, L. Achelis, H. Henein, &amp; U. Fritsching</i>	
<b>Simultaneous Application of Bromofluoropropene and Water Mist for Suppressing</b>	

<b>Wood Crib Fires in a Confined Space</b>	<b>465</b>
<i>S. Zhang, X. Ni, M. Zhao, R. Zhang, &amp; X. Wang</i>	

## Issue 6

<b>Investigation on the Interaction among Multi-Sprays Generated from Pressure-Swirl Atomizers</b>	<b>477</b>
<i>Z. Zheng &amp; Y. Huang</i>	
<b>The Fully Lagrangian Approach to the Analysis of Particle/Droplet Dynamics: Implementation into Ansys Fluent and Application to Gasoline Sprays</b>	<b>493</b>
<i>T.S. Zaripov, A.K. Gilfanov, S.M. Begg, O. Rybdylova, S.S. Sazhin, &amp; M.R. Heikal</i>	
<b>Effect of Linear Alkane C17, C18 on Spray Characteristics of Kerosene in Hollow Cone Pressure Swirl Spray</b>	<b>511</b>
<i>Z. Gan, H. Ren, &amp; X. Yang</i>	
<b>An Improved Entrainment Rate Measurement Method for Transient Jets from 10 Khz Particle Image Velocimetry</b>	<b>531</b>
<i>W.E. Eagle, M.P.B. Musculus, L.-M.C. Malbec, &amp; G. Bruneaux</i>	
<b>Effect of Solid Surface Property on Geometric Variations of Micro- to Millimeter-Sized Water Droplets during Volume Reduction Process</b>	<b>559</b>
<i>Y. Yonemoto &amp; T. Kunugi</i>	

## Issue 7

<b>A Study on Discharge Coefficients of Closed-Type Swirl Injectors for a Liquid Rocket Engine</b>	<b>569</b>
<i>K. Ahn &amp; H.-S. Choi</i>	
<b>Geometric Effect on Spray Characteristics of Gas-Centered Swirl Coaxial Injectors: Recess Ratio and Gap Thickness</b>	<b>579</b>
<i>G. Park, J. Lee, I. Lee, Y. Yoon, &amp; C.H. Sohn</i>	
<b>Artificial Control of Spray Dynamics Applying Fuel Design Approach Related to Flash Boiling</b>	<b>591</b>
<i>J. Senda &amp; E. Matsumura</i>	
<b>Experimental Investigation on Fuel Film Formation by Spray Impingement on Flat Walls with Different Surface Roughness</b>	<b>611</b>
<i>H. Luo, S. Uchitomi, K. Nishida, Y. Ogata, W. Zhang, &amp; T. Fujikawa</i>	
<b>Particle and Droplet Clustering in Oscillatory Vortical Flows</b>	<b>629</b>
<i>Y. Dagan, D. Katoshevski, &amp; J.B. Greenberg</i>	
<b>Numerical Study of Electric Reynolds Number on Electrohydrodynamic (EHD) Assisted Atomization</b>	<b>645</b>
<i>P. Sheehy &amp; M. Owkes</i>	

## Issue 8

<b>Experimental Investigation of the 700 MWe Containment Spray System Spray Nozzles/System</b>	<b>665</b>
<i>M. Jain, T.K. Kandar, S.F. Vhora, K.N. Iyer, &amp; S.V. Prabhu</i>	
<b>Influence of Piezo-Driven Synthetic Jet on Water Spray Behavior</b>	<b>691</b>
<i>M. Chiatto, L. Marchitto, G. Valentino, &amp; L. de Luca</i>	
<b>Quantifying the Effects of Fuel Compositions and Process Variables on Planar Surface Area and Spray Nonuniformity via Combined Mixture-Process Design of Experiment</b>	<b>707</b>
<i>L. Chen, L. Feng, Z. Liu, G. Li, Y. Li, Y. Lu, &amp; A.P. Roskilly</i>	
<b>Numerical Study of Submerged Cavitating Throttle Flows</b>	<b>723</b>
<i>B. Beban, S.J. Schmidt, &amp; N.A. Adams</i>	

<b>Effect of Gas Swirl on the Performance of a Gas-Centered Swirl Co-Axial Injector</b>	<b>741</b>
<i>K.S. Siddharth, M.V. Panchagnula, &amp; T.J. Tharakan</i>	

### Issue 9

<b>A Single Spherical Drop Impact on a Flat, Dry Surface – A Unified Correlation</b>	<b>759</b>
<i>M. Arogeti, E. Sher, &amp; T. Bar-Kohany</i>	
<b>Improved Semi-Empirical Prediction of Viscous Spray Cone Angle for Pressure Swirl Atomizers</b>	<b>771</b>
<i>L. Sun, Y. Huang, &amp; Z. Liu</i>	
<b>Microscopic Analysis of Transversal and Azimuthal Surface Disturbances of High-Pressure Sprays</b>	<b>791</b>
<i>V. Kirsch, M.A. Reddemann, J. Palmer, &amp; R. Kneer</i>	
<b>Experimental and Numerical Study of Bubble Growth Process within a Superheated Water Droplet</b>	<b>807</b>
<i>L. Liu, W. Ma, &amp; L. Zong</i>	
<b>Experimental Investigation of Jet Breakup at Low Weber Number</b>	<b>821</b>
<i>S. Rajendran, M.A. Jog, &amp; R.M. Manglik</i>	

### Issue 10

<b>An Extensive Study on the Discharge Coefficients of Open-Type Swirl Injectors</b>	<b>835</b>
<i>K. Ahn &amp; H.-S. Choi</i>	
<b>Experimental Investigation of Endoscopic Cell Spray</b>	<b>847</b>
<i>M. Bieber, A.L. Thiebes, C.G. Cornelissen, S. Jockenhoevel, R. Kneer, &amp; M.A. Reddemann</i>	
<b>Effect of Swirl Chamber Length on the Atomization Characteristics of a Pressure-Swirl Nozzle</b>	<b>859</b>
<i>R.A. Dafsari, F. Vashahi, &amp; J. Lee</i>	
<b>Ultrasonic Atomization of Alkanes and Alcohols</b>	<b>875</b>
<i>A. Lozano, J.A. Garcia, J. Alconchel, F. Barreras, E. Calvo, &amp; J.L. Santolaya</i>	
<b>Disintegration of Large Balls of Water-Based Liquids in Free Fall through High-Temperature Gases</b>	<b>893</b>
<i>P.A. Strizhak, R.S. Volkov, M.V. Zabelin, &amp; M.V. Piskunov</i>	

### Issue 11

<b>Numerical Simulation of the Dispersion and Deposition of a Spray Carried by a Pulsating Airflow in a Patient-Specific Human Nasal Cavity</b>	<b>913</b>
<i>A. Farnoud, X.G. Cui, I. Baumann, &amp; E. Gutheil</i>	
<b>The Effects of Prefilming Length and Feed Rate on Compressible Flow in a Self-Pulsating Injector</b>	<b>929</b>
<i>W. Strasser &amp; F. Battaglia</i>	
<b>Spatial Drop-Sizing in Airblast Atomization—An Experimental Study</b>	<b>949</b>
<i>A.P. Kulkarni &amp; D. Deshmukh</i>	
<b>Development and Validation of a Flash Boiling Model for Single-Component Fuel Droplets</b>	<b>963</b>
<i>S. Yang</i>	

### Issue 12

<b>Numerical Simulation of High-Pressure Fuel Spray by using a New Hybrid Breakup Model</b>	<b>999</b>
<i>Q. Wenliang, Z. Wenping, M. Pingjian, J. Ming, &amp; P. Ye</i>	

<b>A Parametrical Study of the Breakup and Atomization Process of Two Impinging Liquid Jets</b>	<b>1025</b>
<i>C. Ruan, F. Xing, Y. Huang, L. Xu, &amp; X. Lu</i>	
<b>Nonlinear Spatial Instability of a Slender Viscous Jet</b>	<b>1041</b>
<i>L.-J. Yang, T. Hu, P.-M. Chen, &amp; H.-Y. Ye</i>	
<b>Optimization of the Spray Cooling Parameters for a Heat Sink by the Taguchi Method</b>	<b>1063</b>
<i>F. Yesildal &amp; K. Yakut</i>	
<b>Soot Formation Characteristics of Palm Methyl Ester Spray Flames in Counterflow Sustained by Methane/Air Premixed Flame</b>	<b>1077</b>
<i>J. Hayashi, N. Hashimoto, H. Nishida, &amp; F. Akamatsu</i>	
<b>Index, Volume 27, 2017</b>	<b>1088</b>

# ATOMIZATION AND SPRAYS

AUTHOR INDEX, VOLUME 27, 2017

Page Range of Issues – 1: 1–94; Issue 2: 95–188; Issue 3: 189–284; Issue 4: 285–382; Issue 5: 383–476; Issue 6: 477–568; Issue 7: 569–664; Issue 8: 665–757; Issue 9: 759–834; Issue 10: 835–911; Issue 11: 913–997; Issue 12: 999–1087

---

- Achelis, L., 457  
Adams, N.A., 723  
Ahn, K., 131, 569, 835  
Akamatsu, F., 1077  
Alconchel, J., 875  
Amirfazli, A., 395  
Anand, T.N.C., 269  
Arogeti, M., 759  
Bakshi, S., 269  
Banerjee, R., 95  
Bar-Kohany, T., 759  
Barreras, F., 875  
Basu, S., 7  
Battaglia, F., 929  
Battistoni, M., 345  
Baumann, I., 913  
Beban, B., 723  
Begg, S.M., 493  
Bhandarkar, A., 61  
Bieber, M., 847  
Blackwell, B.C., 337  
Bracho, G., 251  
Brenn, G., 285  
Bruneaux, G., 531  
Calvo, E., 875  
Chakraborty, D., 61  
Chandra, S., 81  
Chen, L., 707  
Chen, P.-M., 1041  
Chen, Z., 423  
Chiattò, M., 691  
Chishty, W.A., 169  
Choi, H., 569  
Choi, H.-S., 835  
Ciezki, H.K., 319  
Cornelissen, C.G., 847  
Cui, X.G., 913  
Dafsari, R.A., 859  
Dagan, Y., 629  
Dalili, A., 81  
de Luca, L., 691  
Deetjen, M.E., 337  
Deshmukh, D., 949  
DolatabadI, A., 227  
Duan, R., 423  
Dubois, F., 395  
Dumouchel, C., 151  
Eagle, W.E., 531  
Ertl, M., 303  
Esmaeelpanah, J., 81  
Ewoldt, R.H., 337  
Farnoud, A., 913  
Feigl, K.A., 439  
Feng, L., 707  
Freud, R., 1  
Fritsching, U., 457  
Fu, Q., 139  
Fujikawa, T., 611  
Gadallah, A.H., 169  
Gan, Z., 511  
García, J.A., 875  
Gaudio, J.E., 337  
Gilfanov, A.K., 493  
Girin, O.G., 407  
Greenberg, J.B., 629  
Grishaev, V., 395  
Gutheil, E., 913  
Hashimoto, N., 1077  
Hayashi, J., 1077  
He, Z., 383  
Heikal, M.R., 493  
Henein, H., 457  
Hu, T., 1041  
Huang, Y., 1025  
Huang, Y., 477, 771  
Iorio, C.S., 395  
Iyer, K.N., 665  
Jadidi, M., 227  
Jain, M., 665  
Jobehdar, M.H., 169  
Jockenhoevel, S., 847  
Jog, M.A., 821  
Kandar, T.K., 665  
Katoshevski, D., 629  
Katsui, T., 189  
Kee, J.W., 207  
Kim, W.I., 45  
Kirsch, V., 791  
Kneer, R., 117, 791, 847  
Kulkarni, A.P., 949  
Kunugi, T., 559  
Lee, I., 579  
Lee, J., 31, 579, 859  
Lee, K., 45  
Lee, S.Y., 207  
Levi, O., 1  
Li, G., 383, 707  
Li, Y., 707  
Liang, C., 439  
Liu, L., 423, 807  
Liu, Z., 707, 771  
Lozano, A., 875  
Lu, X., 1025  
Lu, Y., 707  
Luo, H., 611  
Ma, W., 807  
Maionchi, D.O., 367  
Malbec, L.C., 531  
Manglik, R.M., 821  
Manna, P., 61  
Marchitto, L., 691  
Martí-Aldaraví, P., 251  
Mathieu, F., 117  
Matsumura, E., 591  
Ming, J., 999  
Mo, C., 139  
Moghadernejad, S., 227  
Mostaghimi, J., 81  
Musculus, M.P.B., 531  
Negri, M., 319  
Ni, X., 465  
Nishida, H., 1077  
Nishida, K., 611  
Nishio, S., 189  
Ogata, Y., 611  
Owkes, M., 645  
Palmer, J., 791  
Panchagnula, M.V., 741  
Park, G., 579  
Park, S., 45  
Payri, R., 251  
Pingjian, M., 999  
Piskunov, M.V., 893  
Plohl, G., 285  
Prabhu, S.V., 665  
Prashanth, W.S., 269  
Pratama, R.H., 189  
Rajamanickam, K., 7  
Rajendran, S., 821  
Reddemann, M.A., 117, 791, 847

- Reddy , R., 95  
Ren, H., 511  
Roskilly, A.P., 707  
Ruan, C., 1025  
Rybldylova, O., 493  
Saha, K., 345  
Sallam, K.A., 31  
Sanadi, D.,7  
Sander, S., 457  
Santolaya, J.L., 875  
Sarkar, S., 269  
Sazhin, S.S., 493  
Schmidt, S.J., 723  
Senda, J., 591  
Sheehy, P., 645  
Shen, Z., 383  
Sher, E.,1, 759  
Siddharth, K.S., 741  
Siddiqui, K., 169  
Sivaprasad, P.V., 269  
Sohn, C.H., 579  
Som, S., 345  
Sou, A., 189
- Strasser, W., 929  
Strizhak, P.A. , 893  
Sun, L., 771  
Tanchatchawan, S.,  
    151  
Tanner, F.X., 439  
Tharakan, T. J., 741  
Thiebes, A.J., 847  
Tischler, C., 457  
Uchitomi , S., 611  
Valentino, G., 691  
Vallikul, P., 151  
Vashahi, F., 859  
Vhora, S.F., 665  
Viera, A., 251  
Volkov, R.S., 893  
Wang, H., 383  
Wang, M., 383  
Wang, X., 465  
Wang, Y., 383  
Wang, Z., 423  
Weigand, B., 303  
Wenliang, Q., 999
- Wenping, Z., 999  
Xing, F., 1025  
Xu, L., 1025  
Yakut, K., 1063  
Yang, L., 139  
Yang, L.-J., 1041  
Yang, S., 963  
Yang, X., 511  
Ye, H.-Y., 1041  
Ye, P., 999  
Yesildal, F., 1063  
Yonemoto, Y., 559  
Yonglingsakthavorn, P., 151  
Yoon, W., 131  
Yoon, Y., 579  
Zabelin, M.V., 893  
Zaripov, T.S., 493  
Zhang, R., 465  
Zhang, S., 465  
Zhang, W., 611  
Zhao, M., 465  
Zheng, Z., 477  
Zong, L., 807

# ATOMIZATION AND SPRAYS

SUBJECT INDEX, VOLUME 27, 2017

Page Range of Issues – 1: 1–94; Issue 2: 95–188; Issue 3: 189–284; Issue 4: 285–382; Issue 5: 383–476; Issue 6: 477–568; Issue 7: 569–664; Issue 8: 665–757; Issue 9: 759–834; Issue 10: 835–911; Issue 11: 913–997; Issue 12: 999–1087

- 3D printer, 131  
3D simulation, 303  
active flow control, 691  
aerator tube, 169  
A-nozzle, 117  
atomization, 791  
atomizer geometries, 771  
azimuthal disturbances, 791  
bag breakup of liquid metal, 269  
bag breakup, 439  
ballistic imaging, 117  
binary agent, 465  
biomass jet fuels, 511  
Boger fluid, 319  
boundary layer instability, 791  
breakup length correlation, 821  
BTP, 465  
bubble growth, 807  
bubble size, 169  
cavitation, 435, 723  
cell spray, 847  
cell survival, 847  
CFD, 61, 303, 645  
charge injection, 645  
charge mobility, 645  
closed-type swirl injector, 131, 569  
coalescence, 7  
Coanda effect, 139  
coaxial atomization, 847  
column thickness, 31  
combustion control, 591  
combustion noise level, 45  
common-rail diesel engine, 45  
compressible, 723  
correlation, 759  
co-swirl, 741  
counterswirl, 741  
criterion, 395  
critical surface energy, 559  
DBI, 251  
degree of superheat, 435  
design of experiment, 707  
diesel fuel injector, 189, 723  
diesel injection, 251  
digital holography, 31  
dimensionless parameters, 741  
direct-injection spark-ignition engine, 611  
discharge coefficient, 31, 131, 569, 835  
DNS, 303  
drawback, 81  
drop evaporation, 207  
drop impact, 337, 395, 759  
drop oscillation, 439  
drop size modeling, 285  
droplet breakup, 61  
droplet clustering, 629  
droplet collision, 477  
droplet size, 169  
droplet, 559, 807  
dynamic surface tension, 1  
early injection, 45  
effervescent atomizer, 169  
electrospray atomizer, 457  
electrospray, 645  
entrainment wave, 531  
erosion, 723  
Eulerian approach, 493  
evaporation process, 591  
evaporation, 559  
experiment, 383  
FCV, 741  
filament draining, 285  
film thickness, 579  
fire suppression, 465  
flash boiling, 435, 591  
flash evaporation, 807  
fluid breakup, 645  
fluidic oscillators, 139  
friction resistance, 807  
fuel design, 591  
fuel film characteristics, 611  
fuel spray, 611  
fully Lagrangian approach, 493  
gap thickness, 579  
gas atomization of molten metal, 269  
gasoline direct injection, 435  
gasoline fuel sprays, 493  
gasoline-ethanol and - methanol blends, 1  
gas-particle flow, 493  
GCSC injector, 579, 741  
GDI injector, 117  
gelled propellant, 319  
geometrical effect, 139  
heated porous substrates, 207  
HF concentration, 465  
high fidelity simulations, 95  
high-speed cross-flow, 61  
high-speed imaging, 169, 741  
high-temperature gases, 893  
hollow cone spray, 7, 859  
image analysis, 117  
impinging jet injector, 319  
improved semi-empirical correlation, 771  
injection strategy, 45  
instability, 423  
instantaneous fluctuations, 741  
jet breakup, 285  
jet entrainment, 531  
jet, 383  
large eddy simulation, 227  
laser diffraction, 151  
lateral inflow, 189  
level set method, 227  
linear alkanes, 511  
linear diameter, 665  
liquid ball, 893  
liquid fuel explosive dispersal, 407  
liquid jets, 31, 227  
liquid phase penetration, 251  
liquid rocket engine, 569, 835  
liquid sheet breakup, 95  
liquid viscosity, 771  
log-normal peak shifted distribution, 665  
low Weber number, 821

- maximum bubble pressure method (MBPM), 1  
 mean breakup length, 31  
 mechanism, 383  
 microexplosion dynamics, 407  
 microscopy, diesel, 791  
 Mie scattering method, 611  
 mixed multicomponent fuel, 591  
 mixing zone, 169  
 modified TAB model, 439  
 momentum flux ratio, 579  
 multiphase flow, 645  
 multi-phase multi-component counterflow diffusion flame, 367  
 multiresolution tomographic algorithm, 151  
 multi-spray, 477  
 near- and far-field breakup, 7  
 near injector spray structure, 741  
 Newtonian jet breakup, 821  
 NGA, 645  
 non-Newtonian, 303, 337  
 nonuniform crossflow, 227  
 non-unity Lewis number, 367  
 Nukiyama-Tanasawa distribution, 665  
 numerical simulation, 139  
 OpenFOAM, 439  
 open-type swirl injector, 835  
 overlap ratio, 81  
 paint spray, 81  
 particle image velocimetry, 531  
 particle number densities, 493  
 particle velocity, 61  
 particle, 395  
 phase Doppler anemometry, 511  
 phase-Doppler particle analyzer, 859  
 pilot injection, 45  
 planar liquid sheet, 423  
 planar sheets, 95  
 planar surface area, 707  
 powder production, 269  
 premixed charge compression ignition (PCCI), 45  
 pressure drop, 807  
 pressure swirl, 665  
 pressure-swirl atomizers, 477, 771, 859  
 primary breakup, 117, 269, 303, 791  
 PVP polymer particle production, 457  
 quasi-universal behavior, 367  
 recess length, 579  
 refractive index matching method, 611  
 relaxation time, 285  
 rock breaking, 383  
 round jet, 821  
 Sauter mean diameter, 665, 859  
 SEA method, 439  
 secondary droplet sizes, 407  
 self-propagating electric field, 645  
 self-pulsating injector, 139  
 SEM, 383, 457  
 shadowgraphy, 117, 457  
 shear thinning, 285, 303  
 sheet breakup, 117, 285  
 single swirl injector, 579  
 SMD, 61, 477  
 solid-cone spray, 859  
 solution, 893  
 spatial distribution, 477  
 spectral method, 423  
 splashing, 395  
 spray angle, 131, 579  
 spray atomization, 591  
 spray axis angle fluctuation, 251  
 spray characteristics, 579  
 spray characterization, 95  
 spray combustion, 367  
 spray cone angles, 771  
 spray dispersion, 591  
 spray dynamics, 629  
 spray formation, 285  
 spray nonuniformity, 707  
 spray nozzles, 665  
 spray quality, 169  
 spray structure, 435  
 sprays, 511  
 spread, 759  
 stamen breakup, 439  
 statistical extinction tomography, 707  
 string cavitation, 189  
 stripping breakup, 439  
 supercritical CO<sub>2</sub>, 383  
 surface analysis, 303  
 surface area density, 707  
 suspension, 395, 893  
 swirl chamber length, 859  
 swirl injector geometric constant, 569, 835  
 synthetic jet, 691  
 Taguchi experimental design, 1063  
 Taylor drop oscillator, 439  
 thread formation, 319  
 turbulence, 929  
 two-dimensional laser-induced incandescence, 1063  
 ultrasonic atomization, 875  
 unified, 759  
 uniform liquid film, 81  
 velocity profile, 423  
 viscoelastic liquid, 285, 423  
 viscoelasticity, 319  
 visualization, 189  
 volume fraction, 395  
 volume of fluid method, 95, 227  
 volume of fluid, 645, 1025  
 volume ration, 81  
 volume-weighted drop-size distribution, 151  
 vortex flows, 629  
 wall impingement, 611  
 water drop impingement, 207  
 water mist, 465  
 water spray, 691  
 wettability, 395, 559  
 yield-stress fluid, 337