

ISSN 1044-5110
ATSPE2

ATOMIZATION AND SPRAYS

Journal of the International Institutes for Liquid Atomization and Spray Systems

Volume 3

1993

ATOMIZATION AND SPRAYS

Journal of the International Institutes for Liquid Atomization and Spray Systems

Editor

NORMAN CHIGIER

Department of Mechanical Engineering
Carnegie-Mellon University
Pittsburgh, PA 15213-3890
(412) 268-2498

EDITORIAL BOARD

Will Bachalo, *Sunnyvale, CA*
W. Balachandran, *Surrey, U.K.*
Josette Bellan, *Pasadena, CA*
W. Buschulte, *Hardthausen am Kocher, Germany*
H. H. Chlu, *Tainan, Taiwan, R.O.C.*
Lee G. Dodge, *San Antonio, TX*
Norman Dombrowsky, *Leeds, U.K.*
M. M. Elkotb, *Cairo, Egypt*
G. Faeth, *Ann Arbor, MI*
Omer L. Gulder, *Ottawa, Ontario*
Hiroyuki Hiroyasu, *Saijo-Machi Ohaza Sitami, Japan*

Jan B. Kennedy, *East Hartford, CT*
Arthur H. Lefebvre, *West Lafayette, IN*
J. E. Peters, *Urbana, IL*
Rolf Reitz, *Warren, MI*
G. S. Samuelsen, *Irvine, CA*
D. W. Senser, *W. Lafayette, IN*
W. A. Sirignano, *Irvine, CA*
Yoram Tambour, *Haifa, Israel*
A. J. Yule, *Manchester, U.K.*
S. Zanelli, *Pisa, Italy*

Abstracted in: Chemical Abstracts Service.

Editorial Office: Norman Chigier, Department of Mechanical Engineering, Carnegie-Mellon University, Pittsburgh, PA 15213, telephone (412) 268-2498.

Publishing, Advertising, and Production Offices: Publishing and Advertising: Begell House Inc., 79 Madison Avenue, Suite 1106, New York, NY 10016-7892, telephone (212) 725-1999.

Atomization and Sprays (ISSN 1044-5110) is published quarterly by Begell House Inc. Annual 1992 institutional subscription US \$145. Personal subscription rate US \$45. Personal subscriptions are available to home address only and must be paid for by personal check.

All subscriptions are payable in advance and all rates include postage. Subscriptions are entered on an annual basis, i.e., January to December. Payment should be made by dollar check or international money order.

Copyright © 1993 by Begell House Inc. All rights reserved. Printed in the United States of America. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Begell House Inc. for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$3.00 per copy, plus .00 per page is paid directly to CCC, 27 Congress St., Salem, MA 01970, USA. For those organizations that have been granted a photocopy license by CCC, a separate system of payment has been arranged. The fee code for users of the Transactional Reporting Service is: [1044-5110/93\$3.00 + \$0.00].

The publisher assumes no responsibility for any statements of fact or opinion expressed in the published papers or in the advertisements. **Atomization and Sprays** is owned by Begell House Inc.

CONTENTS OF VOLUME 3

NUMBER 1

- 1 Mathematical Modeling of Densely Loaded, Particle-Laden Turbulent Flows **Mostafa A. Rizk**
- 29 The Large-Scale Fragmentation of the Intact Liquid Core of A Spray Jet **M. J. Andrews**
- 55 Mechanisms of Air-Assisted Liquid Atomization **A. B. Liu and R. D. Reitz**
- 77 Effervescent Atomization at Low Mass Flow Rates. Part I: The Influence of Surface Tension **M. T. Lund, P. E. Sojka, and A. H. Lefebvre**
- 91 Axisymmetric Calculations of Three-droplet Interactions **C. H. Chiang and W.A. Sirignano**
- 109 The Three-Parameter Log-Hyperbolic Distribution and Its Application to Particle Sizing **T.-H. Xu, F. Durst, and C. Tropea**

NUMBER 2

- 125 Spark-Ignited Spherical Flames Propagating in a Suspended Droplet Cloud **Yukio Mizutani, Kazuyoshi Nakabe, Manabu Fuchihata, Fumiteru Akamatsu, Masataka Zaizen, and Salah Hassan El-Emam**
- 137 Effervescent Atomizer Operation and Spray Characteristics **J. D. Whitlow and A. H. Lefebvre**
- 157 Effervescent Atomization of High-Viscosity Fluids: Part II. Non-Newtonian Liquids **Harry N. Buckner and Paul E. Sojka**
- 171 Presolidification Liquid Metal Droplet Cooling under Convective Conditions **Constantine M. Megaridis**
- 193 Holographic Investigation of Microexplosion in an Emulsified Diesel Oil Spray **H. Xu, C. G. Zhu, Y. B. Shen, and D. Poulikakos**
- 203 Spray Group Combustion in a Cylindrical Nonpremixed Combustor **Tsung Leo Jiang and Huei-Huang Chiu**
- 223 New Closed-Form Analytical Solutions of the Discrete Coagulation Equation with Simultaneous Evaporation and Their Use for Validation of Sectional Solutions **S. Khosid and Y. Tambour**

NUMBER 3

- 249 The Effect of Vaporization and Gas Compressibility on Liquid Jet Atomization **Z. W. Lian and R. D. Reitz**
- 265 Aerodynamic Effects on Primary Breakup of Turbulent Liquids **P.-K. Wu and G. M. Faeth**
- 291 A Simplified Maximum-Entropy-Based Drop Size Distribution **M. Ahmadi and R. W. Sellens**
- 311 Multiple Scattering and Size Distribution Effects on the Performance of a Laser Diffraction Particle Sizer **T. Paloposki and A. Kankkunen**
- 321 Structure of Vaporizing Pressure Atomized Sprays **V. G. McDonell and G. S. Samuelsen**

NUMBER 4

- 365 An Assessment of Spray Technology—Editorial **Norman Chigier**
- 373 Spray Characterization of Liquid/Gas Coaxial Injectors with the Center Liquid Swirled **Donald J. Hautman**
- 389 Structure of Reacting and Nonreacting, Nonswirling, Air-Assisted Sprays, Part I: Gas-Phase Properties **V. G. McDonell, M. Adachi, and G. S. Samuelsen**
- 411 Structure of Reacting and Nonreacting, Nonswirling, Air-Assisted Sprays, Part II: Drop Behavior **V. G. McDonell, M. Adachi, and G. S. Samuelsen**
- 437 Lewis Number and Vaporization Effects in spray Diffusion Flames **J. B. Greenberg and I. Shpilberg**
- 463 Flow Patterns in Internal-Mixing, Twin-Fluid Atomizers **J. S. Chin and A. H. Lefebvre**
- 477 A Description of the Droplet Spectra Produced by a Flat-Fan Nozzle **Andrew C. Chapple and Franklin R. Hall**

AUTHOR INDEX TO VOLUME 3

- Adachi, M., 389, 411
Ahmadi, M., 291
Akamatsu, F., 125
Andrews, M. J., 29
- Buckner, H. N., 157
- Chapple, A. C., 477
Chiang, C. H., 91
Chigier, N., 365
Chin, J. S., 463
Chiu, H.-H., 203
- Durst, F., 109
- El-Ernani, S. H., 125
- Faeth, G. M., 265
Fuchihata, M., 125
- Greenberg, J. B., 437
- Hall, F. R., 477
Hautman, D. J., 373
- Jiang, T. L., 203
- Kankkunen, A., 311
Khosid, S., 223
- Lefebvre, A. H., 77, 137, 463
Lian, Z. W., 249
Liu, A. B., 55
Lund, M. T., 77
- McDonell, V. G., 321, 389, 411
Megaridis, C. M., 171
Mizutani, Y., 125
- Nakabe, K., 125
- Paloposki, T., 311
Poulikakos, D., 193
- Reitz, R. D., 55, 249
Rizk, M. A., 1
- Samuelsen, G. S., 321, 389, 411
Sellens, R. W., 291
Shen, Y. B., 193
Shpilberg, I., 437
Sirignano, W. A., 91
Sojka, P. E., 77, 157
- Tambour, Y., 223
Tropea, C., 109
- Whitlow, J. D., 137
Wu, P.-K., 265
- Xu, H., 193
Xu, T.-H., 109
- Zaizen, M., 125
Zhu, C. G., 193

SUBJECT INDEX TO VOLUME 3

- Aerodynamic effects on primary breakup of turbulent liquids, 265
- Air-assisted liquid atomization, 55
- Air-assisted, reacting and nonreacting, nonswirling sprays, structure of
 - Drop behavior, 411
 - Gas-phase properties, 389
- Analytical solutions, closed-form, of the discrete coagulation equation with simultaneous evaporation and use for validation of sectional solutions, 223
- Atomization, effervescent
 - At low mass flow rates: influence of surface tension, 77
 - Of high-viscosity fluids: Non-Newtonian liquids, 157
- Atomization, liquid, air-assisted, 55
- Atomization, liquid jet, effect of vaporization and gas compressibility, 249
- Atomized sprays, structure of, 321
- Atomizer, effervescent, operation and spray characteristics, 137
- Atomizers, internal-mixing, twin-fluid, flow patterns in, 463
- Axisymmetric calculations of three-droplet interactions, 91

- Breakup of turbulent liquids, aerodynamic effects on, 265

- Characterization of liquid/gas coaxial injectors with the center liquid swirled, 373
- Closed-form analytical solutions of the discrete coagulation equation with simultaneous evaporation and their use for validation of sectional solutions, 223
- Coagulation equation, discrete, with simultaneous evaporation and use for validation of sectional solutions, 223
- Coaxial injectors, liquid/gas: spray characterization with the center liquid swirled, 373
- Combustion, spray group, in a cylindrical nonpremixed combustor, 203
- Convective conditions, presolidification liquid metal droplet cooling, 171
- Cooling under convective conditions of liquid metal droplets, 171

- Cylindrical nonpremixed combustor, spray group combustion in, 203

- Densely loaded, particle-laden turbulent flows, mathematical modeling of, 1
- Diesel oil spray, emulsified, holographic investigation of microexplosion, 193
- Diffraction particle sizer, laser: multiple scattering and size distribution effects on performance, 311
- Diffusion flames, Lewis number and vaporization effects, 437
- Discrete coagulation equation with simultaneous evaporation, new closed-form analytical solutions and use for validation of sectional solutions, 223
- Drop behavior of reacting and nonreacting, nonswirling, air-assisted sprays, 411
- Drop size distribution based on simplified maximum entropy, 291
- Droplet cooling of liquid metal under convective conditions, 171
- Droplet cloud, propagation of spark-ignited spherical flames in, 125
- Droplet spectra produced by a flat-fan nozzle, 477

- Effervescent atomization
 - At low mass flow rates: influence of surface tension, 77
 - Of high-viscosity fluids: Non-Newtonian liquids, 157
- Effervescent atomizer operation and spray characteristics, 137
- Emulsified diesel oil spray, holographic investigation of microexplosion, 193
- Entropy-based drop size distribution, 291

- Flames propagating in a suspended droplet cloud, 125
- Flames, spray diffusion, Lewis number and vaporization effects, 437
- Flat-fan nozzle, droplet spectra produced by, 477
- Flow patterns in internal-mixing, twin-fluid atomizers, 463
- Fluids, high-viscosity, effervescent atomization: Non-Newtonian liquids, 157

SUBJECT INDEX

- Fragmentation, large-scale, of the intact liquid core of a spray jet, 29
- Gas compressibility and vaporization, effect on liquid jet atomization, 249
- Gas/liquid coaxial injectors: spray characterization with the center liquid swirled, 373
- Gas-phase properties of reacting and nonreacting, nonswirling, air-assisted sprays, 389
- Group combustion of spray in a cylindrical nonpremixed combustor, 203
- High-viscosity fluids, effervescent atomization: Non-Newtonian liquids, 157
- Holographic investigation of microexplosion in an emulsified diesel oil spray, 193
- Injectors, liquid/gas coaxial: spray characterization with the center liquid swirled, 373
- Intact liquid core of a spray jet, large-scale fragmentation of, 29
- Internal-mixing, twin-fluid atomizers, flow patterns in, 463
- Jet atomization, liquid, effect of vaporization and gas compressibility, 249
- Large-scale fragmentation of the intact liquid core of a spray jet, 29
- Laser diffraction particle sizer, multiple scattering and size distribution effects on performance, 311
- Lewis number and vaporization effects in spray diffusion flames, 437
- Liquid atomization, air-assisted, 55
- Liquid core of a spray jet, large-scale fragmentation of, 29
- Liquid jet atomization, effect of vaporization and gas compressibility on, 249
- Liquid metal droplet cooling under convective conditions, 171
- Liquid/gas coaxial injectors: spray characterization with the center liquid swirled, 373
- Liquids, Non-Newtonian: effervescent atomization, 157
- Liquids, turbulent, aerodynamic effects on primary breakup, 265
- Log-hyperbolic three-parameter distribution and its application to particle sizing, 109
- Low mass flow rates, effervescent atomization: influence of surface tension, 77
- Mass flow rates, effervescent atomization: influence of surface tension, 77
- Mathematical modeling of densely loaded, particle-laden turbulent flows, 1
- Maximum-entropy-based drop-size distribution, 291
- Mechanisms of air-assisted liquid atomization, 55
- Metal, liquid, droplet cooling under convective conditions, 171
- Microexplosion in a emulsified diesel oil spray, holographic investigation, 193
- Modeling of densely loaded, particle-laden turbulent flows, 1
- Multiple scattering and size distribution effects on the performance of a laser diffraction particle sizer, 311
- Non-Newtonian liquids: effervescent atomization, 157
- Nonpremixed cylindrical combustor, spray group combustion in, 203
- Nonreacting and reacting, nonswirling, air-assisted sprays, structure of
Drop behavior, 411
Gas-phase properties, 389
- Nonswirling, reacting and nonreacting, air-assisted sprays, structure of
Drop behavior, 411
Gas-phase properties, 389
- Nozzle, flat-fan, droplet spectra, 477
- Oil spray, diesel, emulsified: holographic investigation of microexplosion, 193
- Particle sizer: multiple scattering and size distribution effects on performance, 311
- Particle sizing, application of three-parameter log-hyperbolic distribution, 109
- Particle-laden, densely loaded turbulent flows, mathematical modeling of, 1
- Presolidification liquid metal droplet cooling under convective conditions, 171
- Pressure atomized sprays, structure of, 321
- Primary breakup of turbulent liquids, aerodynamic effects on, 265
- Reacting and nonreacting, nonswirling, air-assisted sprays, structure of
Drop behavior, 411
Gas-phase properties, 389
- Scattering, multiple, and size distribution effects on the performance of a laser diffraction particle sizer, 311

SUBJECT INDEX

- Simplified maximum-entropy-based drop size distribution, 291
- Size distribution and multiple scattering effects on the performance of a laser diffraction particle sizer, 311
- Spark-ignited spherical flames propagating in a suspended droplet cloud, 125
- Spectra, droplet, produced by a flat-fan nozzle, 477
- Spherical flames propagating in a suspended droplet cloud, 125
- Spray characteristics, effervescent atomizer, 137
- Spray characterization of liquid/gas coaxial injectors with the center liquid swirled, 373
- Spray diffusion flames, Lewis number and vaporization effects, 437
- Spray group combustion in a cylindrical nonpremixed combustor, 203
- Spray jet, large-scale fragmentation of liquid core, 29
- Spray technology, assessment of, 365
- Sprays, atomized, structure of, 321
- Sprays, reacting and nonreacting, nonswirling, air-assisted, structure of
Drop behavior, 411
Gas-phase properties, 389
- Surface tension: influence on effervescent atomization at low mass flow rates, 77
- Suspended droplet cloud, propagation of spark-ignited spherical flames in, 125
- Three-droplet interactions, axisymmetric calculations, 91
- Three-parameter log-hyperbolic distribution and its application to particle sizing, 109
- Turbulent flows, densely loaded, particle laden, mathematical modeling of, 1
- Turbulent liquids, aerodynamic effects on primary breakup, 265
- Twin-fluid, internal-mixing atomizers, flow patterns in, 463
- Vaporization and gas compressibility, effect on liquid jet atomization, 249
- Vaporization effects and Lewis number in spray diffusion flames, 437
- Vaporizing pressure atomized sprays, structure of, 321