

## TABLE OF CONTENTS FOR VOLUME 20

### ATOMIZATION AND SPRAYS

#### PAGE RANGE OF ISSUES

**Issue 1: 1–92; Issue 2: 93–175; Issue 3: 177–268; Issue 4: 269–364; Issue 5: 365–465, Issue 6: 467–564;**  
**Issue 7: 565–652; Issue 8: 653–747 ; Issue 9: 749–835; Issue 10: 837–922;**  
**Issue 11: 923–1016; Issue 12: 1017–1099**

---

#### Number 1

---

<b>Computational Fluid Dynamics Analysis of the Electrostatic Spray Painting Process with a Rotating Bell Cup</b>	1
<i>V. Viti, J. Kulkarni, and A. Watve</i>	
<b>Introduction to Ringlike Structures Observed in High-Pressure Diesel Injection Into Liquid Bath: Preliminary Investigation</b>	19
<i>M. Weclas and J. Cypris</i>	
<b>Droplet-Particle Collisions in Intersecting Melt Sprays</b>	31
<i>U. Gao and R. Fritsching</i>	
<b>Effect of Recess on Mixing and Atomization Characteristics of Liquid-Liquid Swirl Coaxial Injectors</b>	41
<i>D. Kim, S. Kim, P. Han, and Y. Yoon</i>	
<b>Experimental Investigation of the Correlation between Nozzle Flow and Spray Using Laser Doppler Velocimeter, Phase Doppler System, High-Speed Photography, and X-Ray Radiography</b>	57
<i>B. Balewski, B. Heine, and C. Tropea</i>	
<b>Modeling Subgrid-Scale Mixing of Vapor in Diesel Sprays Using Jet Theory</b>	71
<i>N. Abani and R. D. Reitz</i>	
<b>A Comparison of Spray Angle Measurements Using Optical and Mechanical Methods</b>	85
<i>Y. R. Sivathanu, J. Lim, B. Wallace, and R. Seei</i>	

---

#### Number 2

---

<b>Large Eddy Simulation of Droplet Stokes Number Effects on Turbulent Spray Shape</b>	93
<i>V. Vuorinen, H. Hillamo, O. Kaario, M. Larmi, and L. Fuchs</i>	
<b>A FEM Solver Coupled to a Multilevel VOF Method for Simulation of Axisymmetric Jets and to a Front-Tracking Method for Simulation of Spreading Droplets</b>	115
<i>A. Cervone, S. Manservisi, and R. Scardovelli</i>	
<b>Multiple Scattering Suppression in Planar Laser Imaging of Dense Sprays by Means of Structured Illumination</b>	133
<i>E. Berrocal, E. Kristensson, M. Richter, M. Linne, and M. Aldén</i>	
<b>Drop-Size Measurement Techniques Applied to Gasoline Sprays</b>	141
<i>N. Fdida, J.-B. Blaisot, A. Floch, and D. Dechaume</i>	
<b>Effect of Ambient Temperature and Density on Shock Wave Generation in a Diesel Engine</b>	163
<i>S. Kook and L. M. Pickett</i>	

---

#### Number 3

---

<b>Diesel Spray Visualization and Shockwaves</b>	177
<i>H. Hillamo, T. Sarjovaara, O. Kaario, V. Vuorinen, and M. Larmi</i>	
<b>A Parametric Numerical Study of the Head-On Collision Behavior of Droplets</b>	191
<i>G. Strotos, N. Nikolopoulos, and K.-S. P. Nikas</i>	

<b>Effect of Bubble Generation Characteristics on Effervescent Atomization at Low Gas-Liquid Ratio Operation</b>	<b>211</b>
<i>S. Ghaemi, P. Rahimi, and D. S. Nobes</i>	
<b>Controlling Droplet-Size Distribution Using Oil Emulsions in Agricultural Sprays</b>	<b>227</b>
<i>K. Qin, H. Tank, S. Wilson, B. Downer, and L. Liu</i>	
<b>Computed and Measured Fuel Vapor Distribution in a Diesel Spray</b>	<b>241</b>
<i>J. Abraham and L. M. Pickett</i>	
<b>Modeling Collision Outcome in Moderately Dense Sprays</b>	<b>251</b>
<i>G. Luret, T. Menard, A. Berlemont, J. Reveillon, F.-X. Demoulin, and G. Blokkel</i>	

---

## Number 4

<b>Electrical and Spray Characteristics of a Multiorifice Charge-Injection Atomizer for Electrically Insulating Liquids</b>	<b>269</b>
<i>A. Kourmatzis, J. Allen, and J. S. Shrimpton</i>	
<b>DNS Calculations for the Modeling of Real Industrial Applications</b>	<b>281</b>
<i>H. Gomaa, N. Roth, J. Schlottke, and B. Weigand</i>	
<b>Splashing Phenomena during Liquid Droplet Impact</b>	<b>297</b>
<i>J. Liu, H. Vu, S. S. Yoon, R. Jepsen, and G. Aguilar</i>	
<b>Detailed Numerical Investigation of Turbulent Atomization of Liquid Jets</b>	<b>301</b>
<i>O. Desjardins and H. Pitsch</i>	
<b>Nanosecond Structured Laser Illumination Planar Imaging for Single-Shot Imaging of Dense Sprays</b>	<b>327</b>
<i>E. Kristensson, E. Berrocal, M. Richter, and M. Aldén</i>	
<b>Combined Spray Model for Gasoline Direct Injection Hollow-Cone Sprays</b>	<b>335</b>
<i>P. Pischke, D. Martin, and R. Kneer</i>	

---

## Number 5

<b>Spray Characterization Based on the Pearson System of Frequency Curves</b>	<b>365</b>
<i>R. Pimentel, R. Stowe, P. Harris, A. DeChamplain, and D. Kretschmer</i>	
<b>Multiphase Spray Cooling of Steel Plates near the Leidenfrost Temperature – Experimental Studies and Numerical Modeling</b>	<b>387</b>
<i>N. Sozbir, C. Yigit, R. J. Issa, S. C. Yao, H. R. Güven, and S. Ozcelebi</i>	
<b>Numerical Analysis of Ballistic Imaging for Revealing Liquid Breakup in Dense Sprays</b>	<b>407</b>
<i>D. Sedarsky, E. Berrocal, and M. Linne</i>	
<b>Aerosol Characterization of Concentric Pneumatic Nebulizer Used in Inductively Coupled Plasma – Mass Spectrometry (ICP-MS)</b>	<b>415</b>
<i>A. Kashani and J. Mostaghimi</i>	
<b>Large Eddy Simulation of Droplet Stokes Number Effects on Mixture Quality in Fuel Sprays</b>	<b>435</b>
<i>V. Vuorinen, H. Hillamo, O. Kaario, M. Nuutinen, M. Larmi, and L. Fuchs</i>	
<b>Diesel Spray Behavior at Compression Ratios Up To 100:1</b>	<b>453</b>
<i>M. N. Svrcek, S. L. Miller, and C. F. Edwards</i>	

---

## Number 6

<b>Analysis of a Two-Fluid Sprayer and Its Use to Develop the Number Size Distribution Moments Spray Model, Part I: Experimental Analysis</b>	<b>467</b>
<i>N. G. Emekwuru and A. P. Watkins</i>	

<b>Review of Atomization: Current Knowledge and Future Requirements for Propulsion Combustors</b>	<b>485</b>
<i>M. A. Benjamin, R. J. Jensen, and M. Arienti</i>	
<b>Cavitation in Nozzles of Plain Orifice Atomizers with Various Length-To-Diameter Ratios</b>	<b>513</b>
<i>A. Sou, S. Hosokawa, and A. Tomiyama</i>	
<b>Effervescent Atomization for Industrial Energy - Technology Review</b>	<b>525</b>
<i>D. Konstantinov, R. Marsh, P. Bowen, and A. Crayford</i>	
<b>Experimental Approaches to Investigating Liquefied LPG Spray Characteristics</b>	<b>553</b>
<i>K.-B. Kim, Y.-J. Kim, K.-H. Lee, and K.-S. Lee</i>	

---

## Number 7

---

<b>Single-Phase Aerodynamic Flowfield Validation of Novel Airblast Atomizer Designs</b>	<b>565</b>
<i>M. Burby, G. G. Nasr, A. Yule, and L. Morgan</i>	
<b>n-Heptane Droplet Vaporization using Molecular Dynamics</b>	<b>581</b>
<i>B. A. Petrilla, M. F. Trujillo, and M. M. Micci</i>	
<b>Real Gas Effects in Mixing-Limited Diesel Spray Vaporization Models</b>	<b>595</b>
<i>C. C. M. Luijten and C. Kurvers</i>	
<b>A Review of Pharmaceutical Tablet Spray Coating</b>	<b>611</b>
<i>A. R. Muliadi and P. E. Sojka</i>	
<b>Spray Characteristics of an Air-Driven Rotary Atomizer with a Double-Layer Cup for Use in an Industrial Oil Burner</b>	<b>639</b>
<i>J. Lee, Y. Choi, S. Yoon, and D. Cho</i>	

---

## Number 8

---

<b>Analysis of a Two-Fluid Sprayer and Its Use to Develop the Number Size Distribution Moments Spray Model, Part II: Computational Analysis</b>	<b>653</b>
<i>N.G. Emekwuru and A.P. Watkins</i>	
<b>A Large-Eddy Simulation Study of Sub-Grid Two-Phase Interaction in Particle-Laden Flows and Diesel Engine Sprays</b>	<b>673</b>
<i>N. Bharadwaj and C.J. Rutland</i>	
<b>Viscoelastic Air-Blast Sprays in a Cross-Flow, Part 1: Penetration and Dispersion</b>	<b>697</b>
<i>L.K.B. Li, S.I. Green, M.H. Davy, and D.T. Eadie</i>	
<b>Viscoelastic Air-Blast Sprays in a Cross-Flow, Part 2: Droplet Velocities</b>	<b>721</b>
<i>L.K.B. Li, S.I. Green, M.H. Davy, and D.T. Eadie</i>	
<b>Modeling of the Processes in Diesel Engine-Like Conditions: Effects of Fuel Heating and Evaporation</b>	<b>737</b>
<i>W.A. Abdelghaffar, A.E. Elwardany, and S.S. Sazhin</i>	

---

## Number 9

---

<b>Effects of Canted Injection Angles on the Spray Characteristics of Liquid Jets in Subsonic Crossflows</b>	<b>749</b>
<i>M.-K. Kim, J. Song, J. Hwang, and Y. Yoon</i>	
<b>Tailoring Dry Powder Inhaler Performance by Modifying Carrier Surface Topography by Spray Drying</b>	<b>763</b>
<i>S.G. Maas, G. Schaldach, P.E. Walzel, and N.A. Urbanetz</i>	
<b>Placement and Acceleration of Liquid Jets in Pressurized Cross-Flows</b>	<b>775</b>
<i>A. Bellofiore, A. Cavaliere, and R. Ragucci</i>	

<b>Effect of Dispersed Water Droplet Size in Microexplosion Phenomenon for Water in Oil Emulsion</b>	<b>791</b>
<i>E. Mura, C. Josset, K. Loubar, G. Huchet, and J. Bellette</i>	
<b>Experimental Investigation of the Phenomenon of Oil Breakup in an Engine Crankcase</b>	<b>801</b>
<i>S.M. Begg, G. de Sercey, N.D.D. Miché, M.R. Heikal, R. Gilchrist, Y. Noda, T. Tsuruoka, and Y. Mamiya</i>	
<b>Spray Characteristics of a Flow-Blurring Atomizer</b>	<b>821</b>
<i>B.M. Simmons and A.K. Agrawal</i>	

---

## Number 10

<b>Chaotic Disintegration of a Liquid Wall Film: A Model of an Air-Blast Atomization</b>	<b>837</b>
<i>I.V. Roisman, F.Z. Batarseh, and Tropea</i>	
<b>Disintegration Process of an Annular Liquid Sheet Assisted by Coaxial Gaseous Coflow(s)</b>	<b>847</b>
<i>N. Leboucher, F. Roger, and J.-L. Carreau</i>	
<b>Spray Behavior of the Rotary Atomizer with In-Line Injection Orifices</b>	<b>863</b>
<i>S.M. Choi and S.H. Jang</i>	
<b>Effect of Cavitation in Circular Nozzle and Elliptical Nozzles on the Spray Characteristic</b>	<b>877</b>
<i>J.G. Hong, K.W. Ku, S.R. Kim, and C.W. Lee</i>	
<b>Characterization of a Spray Generated by an Airblast Atomizer with Prefilmer</b>	<b>887</b>
<i>F.Z. Batarseh, I.V. Roisman, and C. Tropea</i>	
<b>Transition from Heterogeneous to Homogenous Nucleation in a Simple Structure</b>	
<b>Flash-Boiling Atomizer</b>	<b>905</b>
<i>M. Levy and E. Sher</i>	
<b>Experimental Investigation of a Single Droplet Impact onto a Sessile Drop</b>	<b>907</b>
<i>N. Nikolopoulos, G. Strotos, K.S. Nikas, M. Gavaises, A. Theodorakakos, M. Marengo, and G.E. Cossali</i>	

---

## Number 11

<b>Influence of Viscosity on Droplet Size Distribution and Generation Rate in Ultrasonic Atomization</b>	<b>923</b>
<i>A. Lozano, J.A. Garcia, J.L. Navarro, E. Calvo, and F. Barreras</i>	
<b>Single Droplet Impacts onto Deposited Drops. Numerical Analysis and Comparison</b>	<b>935</b>
<i>N. Nikolopoulos, G. Strotos, K.S. Nikas, A. Theodorakakos, M. Gavaises, M. Marengo, and G.E. Cossali</i>	
<b>Water Spray Characterization of a Coaxial Air-Assisted Swirling Atomizer at Sonic Conditions</b>	<b>955</b>
<i>M. Marklund and F. Engstrom</i>	
<b>Development of a Realistic Multicomponent Fuel Evaporation Model</b>	<b>965</b>
<i>S. Yang, Y. Ra, R.D. Reitz, B. VanDerWege, and J. Yi</i>	
<b>Influence of Gas Velocity on Breakup of Planar Liquid Sheets Sandwiched Between Two Gas Streams</b>	<b>983</b>
<i>S. Nath, A. Mukhopadhyay, A. Datta, S. Sen, and T.J. Tharakan</i>	
<b>A Three-Stage Freezing Model for Liquid Droplets with Applications to Food Sprays</b>	<b>1005</b>
<i>F. X. Tanner, K. A. Feigl, and E. J. Windhab</i>	

---

## Number 12

<b>A Maximum Entropy Approach to Modeling the Dynamics of a Vaporizing Spray</b>	<b>1017</b>
<i>M.R. Archambault</i>	
<b>Effect of Nozzle Geometry on the Atomization and Spray Characteristics of Gelled-Propellant Stimulants Formed by Two Impinging Jets</b>	<b>1033</b>
<i>S. Fakhri, J.G. Lee, and R.A. Yetter</i>	

<b>Spray Diffusion Flames—An Asymptotic Theory</b>	<b>1047</b>
<i>S. Lerman and J.B. Greenberg</i>	
<b>Experimental Investigation of Near Nozzle Spray Structure and Velocity for a GDI Hollow Cone Spray</b>	<b>1065</b>
<i>D. Martin, M. Cardenas, P. Pischke, and R. Kneer</i>	
<b>Pressure—Swirl Atomization of Water-in-Oil Emulsions</b>	<b>1077</b>
<i>C. D. Bolszo, A. A. Narvaez, V. G. McDonell, D. Dunn-Rankin, and W. A. Sirignano</i>	
<b>INDEX to Volume 20</b>	<b>1101</b>

# AUTHOR INDEX FOR VOLUME 20

## ATOMIZATION AND SPRAYS

### Page Range of Issues

**Issue 1: 1-92; Issue 2: 93-175; Issue 3: 177-268; Issue 4: 269-364; Issue 5: 365-465, Issue 6: 467-564;**  
**Issue 7: 565-652; Issue 8: 653-747 ; Issue 9: 749-835; Issue 10: 837-922;**  
**Issue 11: 923-1016; Issue 12: 1017-1099**

---

Abani, N., 71	Fakhri, S., 1033	Larmi, M. , 93, 177, 435
Abdelghaffar, W.A., 737	Fdida, N., 141	Leboucher, N., 847
Abraham, J., 241	Floch, A., 141	Lee, C.W., 877
Agrawal, A.K., 821	Fritsching, U, 31	Lee, J., 639
Aguilar, G., 297	Fuchs, L., 93, 435	Lee, J.G., 1033
Aldén, M., 133, 327	Gao, S., 31	Lee, K.-H., 553
Allen, J., 269	Gavaises, M., 909	Lee, K.-S., 553
Archambault, M.R., 1017	Ghaemi, S., 211	Lerman, S., 1047
Arienti, 485	Gilchrist, R., 801	Levy, M., 905
Balewski, B., 57	Gomaa, H., 281	Li, L.K.B, 697, 721
Batarseh, F. Z., 837, 887	Green, S.I., 697, 721	Lim, J.M., 85
Begg, S. M., 801	Greenberg, J.B., 1047	Linne, M., 133, 407
Bellette, J., 791	Güven, H.R., 387	Liu, J., 297
Bellofiore, A., 775	Han, P.G., 41	Liu, L., 227
Benjamin, M.A., 485	Harris, P., 365	Loubar, K., 791
Berlemont, A., 251	Heikal, M. R., 801	Luijten, C.C.M., 595
Berrocal, E., 133, 327, 407	Heine, B., 57	Luret, G., 251
Bharadwaj,N., 673	Hillamo, H., 93, 177, 435	Maas, S.G., 763
Blaisot, J.-B., 141	Hong,J.G., 877	Mamiya Y., 801
Blokkeel, G., 251	Hosokawa, S., 513	Manservisi, S., 115
Bolszo, C.D., 1077	Huchet, G., 791	Marengo, M., 909
Bowen, P., 525	Hwang, J., 749	Marsh, R., 525
Burby, M., 565	Issa, R.J., 387	Martin, D., 335, 1065
Cardenas, M., 1065	Jang, S.H., 863	McDonell, V.G., 1077
Carreau, J.-L., 847	Jensen, R.J., 485	Menard, T., 251
Cavaliere, A., 775	Jepsen, R., 297	Micci, M.M., 581
Cervone, A., 115	Josset, C., 791	Miche, N. D. D., 801
Cho, D., 639	Kaario, O., 93, 177, 435	Miller, S.L., 453
Choi, S.M., 863	Kashan,i A., 415	Morgan, L., 565
Choi, Y., 639	Kim, D.J., 41	Mostaghimi, J., 415
Cossali, G. E., 909	Kim, K.-B., 553	Muliadi, A.R, 611
Crayford, A., 525	Kim, M.-K.,	Mura, E., 791
Cypris, J., 19	Kim, S.H., 41	Narvaez, A.A., 1077
Davy, M.H., 697, 721	Kim, Y.-J., 553	Nasr, G.G., 565
DeChamplain, A., 365	Kim, S.R.,877	Nikas, K.-S.P, 191, 909
Dechaume, D., 141	Kneer, R., 335, 1065	Nikolopoulos, N., 191, 909
Demoulin, F.-X., 251	Konstantinov, D., 525	Nobes, D.S., 211
Desjardins, O., 301	Kook, S., 163	Noda, Y., 801
Downer, B., 227	Kourmatzis, A., 269	Nuutinen, M., 435
Dunn-Rankin, D., 1077	Kretschmer, D., 365	Ozcelebi, S., 387
Eadie, D.T., 697, 721	Kristensson, E., 133, 327	Petrilla, B A., 581
Edwards, C.F., 453	Ku,K.W.,877	Pickett, L.M., 163, 241
Elwardany, A.E., 737	Kulkarni, J., 1	Pimentel, R., 365
Emekwuru, N.G., 467, 653	Kurvers, C., 595	Pischke, P., 335, 1065

- Pitsch, H., 301  
Qin, K., 227  
Ragucci, R., 775  
Rahimi, P., 211  
Reitz, R.D., 71  
Reveillon, J., 251  
Richter, M., 133, 327  
Roger, F., 847  
Roisman, I.V., 837, 887  
Roth, N., 281  
Rutland, C.J., 673  
Sarjovaara, T., 177  
Sazhin, S.S., 737  
Scardovelli, 115  
Schaldach, G., 763  
Schlottke, J., 281  
Sedarsky, D., 407  
Seei, R., 85  
Sercey, G. de, 801  
Sher, E., 905  
Shrimpton, J.S., 269  
Simmons, B.M., 821  
Sirignano, W.A., 1077  
Sivathanu, Y.R., 85  
Sojka, P.E., 611  
Song, J., 749  
Sou, A., 513  
Sozbir, N., 387  
Stowe, R., 365  
Stratos, G., 191, 909  
Svrcek, M.N., 453  
Tank, H., 227  
Theodorakakos, A., 909  
Tomiyama, A., 513  
Tropea C., 57, 837, 887  
Trujillo, M.F., 581  
Tsuruoka, Y., 801  
Urbanetz, N.A., 763  
Viti, V., 1  
Vu, H., 297  
Vuorinen, V., 93, 177, 435  
Wallace, B., 85  
Walzel, P.E., 763  
Watkins, A.P., 467, 653  
Watve, A., 1  
Weclas M., 19  
Weigand, B., 281  
Wilson, S., 227  
Yao, S.C., 387  
Yetter, R.A., 1033  
Yigit, C., 387  
Yoon, S.S., 297, 639  
Yoon, Y., 749  
Yoon, Y.B., 41  
Yule, A., 565

## SUBJECT INDEX FOR VOLUME 20

### ATOMIZATION AND SPRAYS

#### Page Range of Issues

**Issue 1: 1–92; Issue 2: 93–175; Issue 3: 177–268; Issue 4: 269–364; Issue 5: 365–465, Issue 6: 467–564;**  
**Issue 7: 565–652; Issue 8: 653–747 ; Issue 9: 749–835; Issue 10: 837–922;**  
**Issue 11: 923–1016; Issue 12: 1017–1099**

---

- |  |   |  |
|--|---|--|
| (ADM), 673<br>aerosol characterization, 415<br>agricultural atomization, 227<br>airblast atomizer, 837, 887<br>alternative fuels, 525<br>ambient density, 163<br>ambient temperature, 163<br>angles, 85<br>aporizing sprays, 241<br>aspect ratio, 877<br>asymptotics, 1047<br>atomization devices, 485<br>atomization,<br>365,553,565,639,697,721,775,<br>837,887,905,955,983,1033<br>backlight imaging, 177<br>ballistic imaging, 407<br>bimodal drop size distribution, 467<br>Bond number, 801<br>breakup length, 749<br>break-up mechanisms, 847<br>canted injection, 749<br>cavitation number, 513<br>cavitation, 513<br>CFD, 565<br>chaotic disintegration, 837<br>charge injection atomizers, 269<br>charged particles, 1<br>coalescence, DNS, 251<br>coating, 611, 697, 721<br>cocoa butter, 1005<br>collision model, 345<br>collision, 31, 191, 251<br>combustion, 453,525,565,821,1047<br>common rail, 177<br>compression ratio, 453<br>computational fluid dynamics, 1<br>concentric pneumatic nebulizer,<br>415<br>cooling, 387<br>critical Weber number, 1005<br>cross-flow, 775<br>cross-wind, 697, 721<br>dense spray imaging, 133<br>dielectric liquids, 269 | diesel engines, 737<br>diesel fuel, 1077<br>diesel spray velocity, 177<br>diesel spray, 19, 71, 163, 177,<br>241, 595<br>diesel, 453<br>diffraction granulometer, 141<br>diffusion flames, 1047<br>discharge coefficient, 877<br>discrete/continuous<br>multicomponent (DCMC)<br>gasoline, 965<br>dispersion, 93, 435<br>DNS, 281, 311<br>dosing, 763<br>drift, 227<br>drop distribution, 1077<br>drop impact, 909<br>drop size distribution, 653<br>drop size moments, 653<br>drop size, 1077<br>drop sizing, 141<br>drop surface areas, 85<br>droplet dispersion, 93, 435<br>droplet size distribution, 923<br>droplet, 191, 281, 297, 737, 935<br>drops, 71, 639<br>dry powder inhaler, 763<br>effervescent atomization, 211, 525<br>EHD, 269<br>elastic light scattering, 553<br>electrostatic simulations, 1<br>elliptical nozzle, 877<br>emulsion, 227<br>engine crankshaft, 801<br>engine flows, 673<br>equation of state, 595<br>evaporation, 737, 965<br>experimental and<br>computational spray<br>investigation, 387<br>fine particle fraction, 763<br>finite element method, 113<br>flash-boiling, 905<br>flow diagnostics, 337 | forward injection, 749<br>Fragmentation, 791<br>free piston, 453<br>front tracking, 115<br>fuel atomization, 821<br>gas turbine, 565, 775<br>gas-assisted, 955<br>gas-liquid interfaces, 983<br>gelled propellants, 1033<br>ghost fluid, 311<br>heating, 737<br>high-speed visualizations, 847<br>hollow-cone spray, 345<br>homogeneous nucleation, 905<br>ICP-MS, 415<br>image contrast enhancement, 133<br>image processing<br>imaging model, 141<br>impact onto a sessile droplet, 935<br>impact, 297<br>impinging jets, 1033<br>inception, 513<br>incompressible flow, 311<br>industrial energy, 525<br>injection, 525<br>injector, 513, 565<br>in-line injection orifice, 863<br>instability frequencies, 847<br>instability, 297<br>internal flow, 211<br>intersecting sprays, 31<br>jet breakup, 115<br>jet instability, 19<br>jet, 513<br>large eddy simulation, 93<br>laser diffraction spectroscopy<br>(LDS), 639<br>laser Doppler velocimeter, 57<br>Leidenfrost effect, 791<br>length, 595<br>Lennard-Jones potential, 581<br>level set, 311<br>lifted flames, 71<br>Ligament, 191<br>liquefied petroleum gas (LPG), 553 |
|--|---|--|

- liquid feed system, 467  
liquid column trajectory, 749  
liquid film, 909  
liquid jets, 775  
liquid sheet breakup, 983  
liquid-liquid swirl coaxial injector, 41  
mannitol, 763  
maximum entropy principle modeling, 415  
maximum entropy, 1017  
melt spray, 31  
metal powder production, 31  
method, 41  
mie scattering, 407  
mixing efficiency, 41  
mixing, 435  
modeling, 281, 345, 653  
modeling, 345  
models, 241  
molecular dynamics, 581  
Monte Carlo, 407  
multicomponent fuel, 965  
multidimensional models, 241  
multilevel VOF, 115  
multiphase flows, 1005  
multiphase modeling, 485  
multiphase, 281  
multiple scattering suppression, 337  
multiple scattering, 133  
n-heptane, 581  
nonlinear instability analysis, 983  
non-Newtonian fluid, 1033  
non-Newtonian, 697, 721  
nozzle cavitation, 877  
nozzle exit velocity, 1065  
nozzle flow, 57  
nozzle geometry, 1033  
nozzle, 513  
Nukiyama-Tanasawa correlation, 415  
oil atomization, 801  
optical patternator, 85  
outwardly opening GDI injector, 1065  
painting, 1  
particle collisions, 31  
particle image velocimetry, 775  
patternation, 1077  
patternator, 553  
PDA, 565, 801  
PDPA, 863  
penetration, 553  
pharmaceutical, 611  
phase Doppler system, 57  
phase Doppler technique, 141 837, 887  
planar jet, 311  
planar structured illumination, 337  
PLIF, 41  
polymorphous material, 1005  
porous media air injector, 211  
preferential concentration, 435  
pressure atomizer, 513  
pressure chamber, 887  
primary atomization, 311  
primary breakup, 57  
probability density function, 1017  
quality, 611  
RATTLE algorithm, 581  
Rayleigh scattering, 241  
real gas effects, 595  
recess, 41  
reverse injection, 749  
ringlike structure, 19  
rotary 639  
rotary atomizer, 863  
satellite droplet formation, 31  
Sauter mean diameter (SMD), 639  
shadowgraph droplet analyzer, 211  
shadowgraphy, 177  
shock wave, 163, 177  
single-shot imaging, 337  
size distribution, 227, 365  
sizing, 211  
SMD, 41, 863  
solidification model, 1005  
sonic, 955  
Speed image capturing, 791  
speed of sound, 163  
splash threshold, 297  
splash, 297, 909  
spray angle, 877, 1077  
spray behavior, 863  
spray drying, 763  
spray freezing, 1005  
spray measurements, 821  
spray structure, 1065  
spray, 1017  
spray, 93, 365, 07, 453, 467, 485, 611, 639, 653, 737, 1017, 1047  
spreading, 115  
stochastic modeling, 1017  
Stokes number, 93, 435  
structure, 19  
sub-grid spray model, 673  
surface, 763  
surfactant, 1077  
swirl, 955  
system model, 407  
tablet, 611  
technology review, 525  
time-gating, 407  
tomography, 57  
torsion potential, 581  
turbulence, 251, 311  
turbulent jet theory, 71  
twin-fluid sprayers, 467  
two-phase filtering, 673  
two-phase fuel, 791  
two-phase turbulence interaction, 673  
two-phase, 251  
ultrasonic atomization, 923  
uniformity, 611  
uniformity, 85  
vaporization, 581, 1017  
viscous liquids, 923  
visualization, 177  
Visualization, 863  
VOF, 191, 281, 935  
vortex formation, 345  
wall impingement, 19  
wettability, 909  
windage, 801  
X-ray radiography, 57