

ATOMIZATION AND SPRAYS

CONTENTS, VOLUME 26, 2016

Page Range of Issues – Issue 1: 1–91; Issue 2: 93–186; Issue 3: 187–299; Issue 4: 301–410;
Issue 5: 411–512; Issue 6: 513–631; Issue 7: 633–737; Issue 8: 739–851; Issue 9: 853–959;
Issue 10: 961–1067; Issue 11: 1069–1196; Issue 12: 1197–1394

ISSUE 1

- Effect of Gas-Liquid Axial Velocity Continuity on the Axisymmetric and Asymmetric Instabilities of a Viscoelastic Liquid Core in a Swirling Gaseous Co-Flow** 1
M-X. Tong, L-J. Yang, Q-F. Fu, & G-D. Liu
- Numerical Modeling and Prediction of Particle Size Distribution During Gas Atomization of Molten Tin** 23
S. Sarkar, P.V. Sivaprasad, & S. Bakshi
- Effects of Cross-Flow on Fuel Spray Injected by Hole-Type Injector for Direct-Injection Gasoline Engine. Second Report: Spray Pattern, Droplet Size, and Vortex Structure** 53
M. Guo, R. Kishi, B. Shi, Y. Ogata, & K. Nishida
- Instability of a Viscoelastic Incompressible Liquid Sheet in Compressible Ambient Gas** 73
Y-X. Liu, M-X. Tong, L-J. Liu, C-J. Mo, & L-J. Yang

ISSUE 2

- Visualization of Cavitating Flow within a High-Aspect-Ratio Slot Injector** 93
A.S. Thompson & S.D. Heister
- An Atomizer to Generate Monodisperse Droplets from High Vapor Pressure Liquids** 121
M. Azhdarzadeh, F.M. Shemirani, C.A. Ruzycski, A. Baldelli, J. Ivey, D. Barona, T. Church, D. Lewis, J.S. Olfert, W.H. Finlay, & R. Vehring
- Effect of Single- and Multi-Hole Bubble Breakers on the Effervescent Atomization Process** 135
M.H. Jobehdar, K. Siddiqui, A.H. Gadallah, & W.A. Chishty
- Assessment of the Direct Quadrature-Based Sectional Method of Moments for the Simulation of Evaporating Polydisperse Sprays** 163
W. Gumprich, B. Synek, & A. Sadiki

ISSUE 3

- Embedded DNS Concept for Simulating the Primary Breakup of an Airblast Atomizer** 187
B. Sauer, A. Sadiki, & J. Janicka
- Phosphorescent Flow Tracking for Quantitative Measurements of Liquid Spray Dispersion** 219
D.D. van der Voort, B.C.S. de Ruijter, W. van de Water, N.J. Dam, H.J.H. Clercx, & G.J.F. van Heijst

Experimental Characterization of VVER-440 Reactor Containment Type Spray Nozzle	235
<i>J. Malet & Z. Parduba</i>	
Behavior of a Water Drop Impinging on Porous Substrates—Examination of Contact-Line Drag Effect	257
<i>W.S. Kim & S.Y. Lee</i>	
Numerical Simulations of Turbulent Poly-Disperse Acetone Spray Flows using a Transported Joint Probability Density Function Method	275
<i>Y. Hu & E. Gutheil</i>	

ISSUE 4

The Influence of Design Parameters on the Initial Spray Characteristics of the High-Pressure Air Inclusion Nozzle	301
<i>G. Bai, K. Nakano, S. Ohashi, T. Mizukami, H. Yan, & S. Kramchote</i>	
Dual-Mode Linear Analysis of Temporal Instability for Power-Law Liquid Sheet	319
<i>H-Y. Deng, F. Feng, & X-S. Wu</i>	
Electrohydrodynamic Instability of a Non-Newtonian Dielectric Liquid Jet Moving in a Streaming Dielectric Gas with a Surface Tension Gradient	349
<i>M.F. El-Sayed, G.M. Moatimid, F.M.F. Elsabaa, & M.F.E. Amer</i>	
Internal Flow Pattern and Macroscopic Characteristics of a Flash-Boiling Spray Actuated Through a Twin-Orifice Atomizer with Low Injection Pressure	377
<i>D. Ju, C. Wang, X. Qiao, J. Xiao, & Z. Huang</i>	

ISSUE 5

Droplet Size and Velocity Measurements in a Cryogenic Jet Flame of a Rocket-Type Combustor Using High-Speed Imaging	411
<i>N. Fdida, L. Vingert, A. Ristori, & Y. Le Sant</i>	
Effect of Nozzle Configuration on Macroscopic Spray Characteristics of Multi-Hole Fuel Injectors under Superheated Conditions	439
<i>G. Aori, D.L.S. Hung, M. Zhang, G. Zhang, & T. Li</i>	
An Experimental Study on Microscopic Characteristics of Flash Boiling Spray With Extended Glare Point Velocimetry and Sizing	463
<i>S. Yang, T. Wang, M. Jia, S. Shen, & Z. Yao</i>	
Review of Fuel Spray Distributions to Predict Performance of Rotary Atomizers in a Slinger Gas Turbine Combustor	483
<i>B. Paquet, A. deChamplain, & S. Kalla</i>	
Corrigendum:	512
Characteristics of Water Droplet Impaction on a Polished Steel Heated Surface. Part II	
<i>Atomization and Sprays, Volume 17, Issue 8, 2007, DOI: 10.1615/ATOMIZSPR.v17.i8.20</i>	
Novel Aerosol Inert Design Utilizing Inert Compressed Gas	
<i>Atomization and Sprays, Volume 24, Issue 12, 2014, DOI: 10.1615/AtomizSpr.2014007903</i>	

ISSUE 6

- Experimental Study on Spray Characteristics of Emulsified Diesel Blending with Water in a Constant Volume Chamber** 513
Z. Wang, X. Chen, D. Vuilleumier, S. Huang, & J. Tang
- Effect of Recess Length on the Spray Characteristics of Liquid-Centered Swirl Coaxial Injectors** 535
Q. Li, Z. Kang, X. Zhang, & P. Cheng
- Modeling Temperature Distribution inside an Emulsion Fuel Droplet under Convective Heating: A Key to Predicting Microexplosion and Puffing** 551
J. Shinjo, J. Xia, A. Megaritis, L.C. Ganippa, & R.F. Cracknell
- The Effects of Gas Layer and Liquid Physical Properties on the Breakup of Coaxial Liquid Jet Spray** 585
T. Yuan & M. Tang
- Optical Analysis of Spray Behavior with a Modern Common Rail Injector in Canola Oil Operation** 607
Q. Li, F. Schwarzmüller, R. Stegmann, & G. Wachtmeister

ISSUE 7

- Characteristics of Flashing Flows within a High Aspect Ratio Injector** 633
A.S. Thompson & S.D. Heister
- Rock-Breaking Characteristics for the Combined Swirling and Straight Supercritical Carbon Dioxide Jet under Ambient Pressure** 659
S. Tian, Q. Zhang, G. Li, H. Chi, H. Wang, K. Peng, & Z. Li
- Internal Flow Physics of a Fluidic Oscillator Spray in the Transition Regime** 673
M.N. Tomac & J.W. Gregory
- Semi-Empirical Model for the Unsteady Shear Breakup of Liquid Jets in Cross-Flow** 687
G. Eckel, M. Rachner, P. Le Clercq, & M. Aigner
- A Comparison of Diesel Sprays CFD Modeling Approaches: DDM versus Σ -Y Eulerian Atomization Model** 713
J.M. Desantes, J.M. García-Oliver, J.M. Pastor, & A. Pandal

ISSUE 8

- Evaluation of Spray Droplet Spectrum of Sprayers Used for Vector Control** 739
M. Farooq, W.C. Hoffmann, B.K. Fritz, N. Cote, T.W. Walker, & V.L. Smith
- Time-Resolved Characterization of Low-Pressure Pulsed Injector** 755
R.S. Pathania, S.R. Chakravarthy, & P.S. Mehta
- Validation of the VSB2 Spray Model against Spray A and Spray H** 775
A. Kösters & A. Karlsson
- Spreading Velocities Inside Water Droplets Impinging on Unheated and Heated Surfaces** 799
N. Erkan

Absolute Instability of a Supercritical Shear Layer	815
<i>Q-F. Fu, L-J. Yang, & C-J. Mo</i>	
Drop Impact Experiment as a Model Experiment to Investigate the Role of Oil-in-Water Emulsions in Controlling the Drop Size Distribution of an Agricultural Spray	827
<i>C. Vernay, L. Ramos, J-P. Douzals, R. Goyal, J-C. Castaing, & C. Ligoure</i>	
ISSUE 9	
Modeling of Water Drop Impactions in the Leidenfrost Regime	853
<i>J.M. Senoner, G. Castanet, O. Caballina, & P. Villedieu</i>	
Internal Flow Characterization on an ECN GDI Injector	889
<i>R. Payri, J. Gimeno, P. Marti-Aldaravi, & D. Vaquerizo</i>	
Experimental Study on Velocity Distribution of Post-Impingement Diesel Spray on a Wall. Part 2: Effect of Ambient Gas Density and Injection Pressure on Flow Pattern	921
<i>Y. Zama, Y. Odawara, & T. Furuhashi</i>	
Effects of Asymmetric Inflow on Cavitation in Fuel Injector and Discharged Liquid Jet	939
<i>A. Sou & R.H. Pratama</i>	
ISSUE 10	
A Comparison of Diesel and Jatropa Methyl Ester (JME) Spray Characteristics: Effect of Nozzle Entry Radius	961
<i>P. Boggavarapu & R.V. Ravikrishna</i>	
Classification of Impact Morphology and Splashing/Deposition Limit for n-Hexadecane	983
<i>A. Geppert, D. Chatzianagnostou, C. Meister, H. Gomma, G. Lamanna, & B. Weigand</i>	
Generating Planar Statistics from Point Measurements in a Spray	1009
<i>K.M. Bade & R.J. Schick</i>	
Atomization of Molten Materials for Particle Coating: Prediction of Mean Droplet Size for Two-Fluid Nozzles	1031
<i>C. Pacheco, J. Piña, & K. Saleh</i>	
The Effect of Different Cooling Unit Configurations and Cooling Temperatures on Glass Tempering Quality	1051
<i>M. Akcay, H. Yazici, M. Golcu, & Y. Sekmen</i>	
ISSUE 11	
Redefining Spray Uniformity through an Information Theory Approach	1069
<i>M.R.O. Panão</i>	
Liquid Jet Trajectory in a Subsonic Gaseous Cross-Flow: An Analysis of Published Correlations	1083
<i>M. Wang, M. Broumand, & M. Birouk</i>	
A Spin Coating Device for the Investigation of Spray-Film Interactions under Engine Relevant Conditions	1111
<i>K.Seel, M.A. Reddemann, V. Verbaere, F. Mathieu, M. Cárdenas, W. Rohlf, H.D. Haustein, & R. Kneer</i>	

Experimental Studies on Bluff Body-Assisted Airblast Atomizer	1127
<i>M.B. Padwal, S.Y. Jejurkar, & D.P. Mishra</i>	
Effects of Spray Patterns on the Mixture Formation Process in Multi-Hole-Type Direct Injection Spark Ignition (DISI) Gasoline Engines	1151
<i>T. Kim & S. Park</i>	
The Effects of Air-Assist upon Liquid Fuel Jet Penetration and Dispersion in a Cross-Flow of Preheated Air	1177
<i>Z.P. Tan, E. Lubarsky, O. Bibik, D. Shcherbik, & B.T. Zinn</i>	

ISSUE 12

SPECIAL ISSUE: FLASH-BOILING ATOMIZATION

GUEST EDITOR: ERAN SHER

Preface: Flash-Boiling Atomization	v
<i>Eran Sher</i>	
An Approach to Modeling Flash-Boiling Fuel Sprays for Direct-Injection Spark-Ignition Engines	1197
<i>C. Price, A. Hamzehloo, P. Aleiferis, & D. Richardson</i>	
Effect of the Propellant Mass Fraction in a Binary Mixture on the Spray Characteristics as Generated by Homogeneous Flash Boiling	1241
<i>M. Levy, Y. Levy, & E. Sher</i>	
State of the Art Review of Flash-Boiling Atomization	1259
<i>T. Bar-Kohany & M. Levy</i>	
Topology and Distinct Features of Flashing Flow in an Injector Nozzle	1307
<i>I.K. Karathanassis, P. Koukouvini, & M. Gavaises</i>	
Temperature Characteristics in a Flash Atomization Process	1337
<i>A. Günther, A. Braeuer, P. Siegler, B. Kninger, & K-E. Wirth</i>	
Investigation of Rapid Atomization and Collapse of Superheated Liquid Fuel Spray under Superheated Conditions	1361
<i>S. Wu, H. Pan, M. Xu, D.L.S. Hung, & T. Li</i>	
Index, Volume 26, 2016	1385

ATOMIZATION AND SPRAYS

AUTHOR INDEX, VOLUME 26, 2016

Page Range of Issues – Issue 1: 1–91; Issue 2: 93–186; Issue 3: 187–299; Issue 4: 301–410;
Issue 5: 411–512; Issue 6: 513–631; Issue 7: 633–737; Issue 8: 739–851; Issue 9: 853–959;
Issue 10: 961–1067; Issue 11: 1069–1196; Issue 12: 1197–1394

- Aigner, M., 687
Akçay, M., 1051
Aleiferis, P., 1197
Amer, M.F.E., 349
Aori, G., 439
Azhdarzadeh, M., 121
Bade, K.M., 1009
Bai, G., 301
Bakshi, S., 23
Baldelli, A., 121
Bar-Kohany, T., 1259
Barona, D., 121
Bibik, O., 1177
Birouk, M., 1083
Boggavarapu, P., 961
Brauer, A., 1337
Broumand, M., 1083
Caballina, O., 853
Cárdenas, M., 1111
Castaing, J-C., 827
Castanet, G., 853
Chakravarthy, S.R., 755
Chatzianagnostou, D., 983
Chen, X., 513
Cheng, P., 535
Chi, H., 659
Chishty, W.A., 135
Church, T., 121
Clercx, H.J.H., 219
Cote, N., 739
Cracknell, R.F., 551
Dam, N.J., 219
de Ruijter, B.C.S., 219
deChamplain, A., 483
Deng, H-Y., 319
Desantes, J.M., 713
Douzals, J-P., 827
Eckel, G., 687
Elsabaa, F.M., 349
El-Sayed, M.F., 349
Erkan, N., 799
Farooq, M., 739
Fdida, N., 411
Feng, F., 319
Finlay, W.H., 121
Fritz, B.K., 739
Fu, Q-F., 1, 815
Furuhata, T., 921
Gadallah, A.H., 135
Ganippa, L.C., 551
García-Oliver, J.M., 713
Gavaises, M., 1307
Geppert, A., 983
Gimeno, J., 889
Golcu, M., 1051
Gomaa, H., 983
Goyal, R., 827
Gregory, J.W., 673
Gumprich, W., 163
Günther, A., 1337
Guo, M., 53
Gutheil, E., 275
Hamzehloo, A., 1197
Haustein, H.D., 1111
Heister, S.D., 93, 633
Hoffmann, W.C., 739
Hu, Y., 275
Huang, S., 513
Huang, Z., 377
Hung, D.L.S., 439, 1361
Ivey, J., 121
Janicka, J., 187
Jejurkar, S.Y., 1127
Jia, M., 463
Jobehdar, M.H., 135
Ju, D., 377
Kalla, S., 483
Kang, Z., 535
Karathanassis, I.K., 1307
Karlsson, A., 775
Kim, T., 1151
Kim, W.S., 257
Kishi, R., 53
Kneer, R., 1111
Kninger, B., 1337
Kösters, A., 775
Koukouvinis, P., 1307
Kramchote, S., 301
Lamanna, G., 983
Le Clercq, P., 687
Lee, S.Y., 257
Levy, M., 1241, 1259
Levy, Y., 1241
Lewis, D., 121
Li, G., 659
Li, Q., 535, 607
Li, T., 439, 1361
Li, Z., 659
Ligoure, C., 827
Liu, G-D., 1
Liu, L-J., 73
Liu, Y-X., 73
Lubarsky, E., 1177
Malet, J., 235
Marti-Aldaravi, P., 889
Mathieu, F., 1111
Megaritis, A., 551
Mehta, P.S., 755
Meister, C., 983
Mishra, D.P., 1127
Mizukami, T., 301
Mo, C-J., 73, 815
Moatimid, G.M., 349
Nakano, K., 301
Nishida, K., 53
Odawara, Y., 921
Ogata, Y., 53
Ohashi, S., 301
Olfert, J.S., 121
Pacheco, C., 1031
Padwal, M.B., 1127
Pan, H., 1361
Panão, M.R.O., 1069
Pandal, A., 713
Paquet, B., 483
Parduba, Z., 235

Park, S., 1151
Pastor, J.M., 713
Pathania, R.S., 755
Payri, R., 889
Peng, K., 659
Piña, J., 1031
Pratama, R.H., 939
Price, C., 1197
Qiao, X., 377
Rachmer, M., 687
Ramos, L., 827
Ravikrishna, R.V., 961
Reddemann, M.A., 1111
Richardson, D., 1197
Ristori, A., 411
Rohlf's, W., 1111
Ruzycki, C.A., 121
Sadiki, A., 163, 187
Saleh, K., 1031
Sant, Y.L., 411
Sarkar, S., 23
Sauer, B., 187
Schick, R.J., 1009
Schwarz Müller, F., 607
Seel, K., 1111
Sekmen, Y., 1051
Senomer, J.M., 853
Shcherbik, D., 1177
Shemirani, F.M., 121
Shen, S., 463
Sher, E., 1241
Shi, B., 53
Shinjo, J., 551
Siddiqui, K., 135
Siegler, P., 1337
Sivaprasad, P.V., 23
Smith, V.L., 739
Sou, A., 939
Stegmann, R., 607
Synek, B., 163
Tan, Z.P., 1177
Tang, J., 513
Tang, M., 585
Thompson, A.S., 93, 633
Tian, S., 659
Tomac, M.N., 673
Tong, M-X., 1, 73
van der Voort, D.D., 219
van deWater, W., 219
van Heijst, G.J.F., 219
Vaquerizo, D., 889
Vehring, R., 121
Verbaere, V., 1111
Vernay, C., 827
Villedieu, P., 853
Vingert, L., 411
Vuilleumier, D., 513
Wachtmeister, G., 607
Walker, T.W., 739
Wang, C., 377
Wang, H., 659
Wang, M., 1083
Wang, T., 463
Wang, Z., 513
Weigand, B., 983
Wirth, K-E., 1337
Wu, S., 1361
Wu, X-S., 319
Xia, J., 551
Xiao, J., 377
Xu, M., 1361
Yan, H., 301
Yang, L-J., 1, 73, 815
Yang, S., 463
Yao, Z., 463
Yazici, H., 1051
Yuan, T., 585
Zama, Y., 921
Zhang, G., 439
Zhang, M., 439
Zhang, Q., 659
Zhang, X., 535
Zinn, B.T., 1177

ATOMIZATION AND SPRAYS

SUBJECT INDEX, VOLUME 26, 2016

Page Range of Issues – Issue 1: 1–91; Issue 2: 93–186; Issue 3: 187–299; Issue 4: 301–410;
Issue 5: 411–512; Issue 6: 513–631; Issue 7: 633–737; Issue 8: 739–851; Issue 9: 853–959;
Issue 10: 961–1067; Issue 11: 1069–1196; Issue 12: 1197–1394

- 2-D transparent nozzle, 1361
absolute instability, 815
acetone spray, 275
air swirl, 1
air-assist, 1177
aircraft engine, 187
ambient gas density, 921
ambient pressure, 513, 607
atomization, 187, 739, 939, 961, 1031, 1241
auto glass tempering, 1051
biodiesel, 961
blockage ratio, 1127
breakup regime, 483
breakup, 219, 319, 775
bubble breaker, 135
bubble size, 135
canola oil, 607
cavitation, 93, 633, 939, 1259, 1307
centrifugal atomizer, 483
coaxial injection, 411
coaxial injector, 585
compressible gas, 73
computational fluid dynamics, 23, 713, 775
contact-line drag, 257
convective heating, 551
convective instability, 815
CONVERGE, 889
cooling time, 1051
cooling unit, 1051
correlation, 1083, 1177
coupling, 187
cross-flow, 53, 1083
design parameter, 301
diesel engine, 939
diesel, 713, 775
dimethyl ether, 377
direct injection spark ignition, 1151
direct quadrature-based sectional method of moments, 163
direct-injection, 1197
discharge coefficient, 93
dispersion, 219
dominant growth rate, 319
dominant wave number, 319
drilling, 659
drop dynamics, 983
drop impactions, 853
drop impingement, 257
drop sizing, 411
droplet impact, 799
droplet size and velocity, 135
droplet size distribution, 1241
droplet spreading, 799
droplet, 235
dual-mode linear analysis, 319
effervescent atomizer, 135
effervescent, 1259
electrohydrodynamics, 349
elevated pressure, 1177
emulsified diesel, 513
emulsion droplet, 551
emulsion, 827
Eulerian, 713
Eulerian-Lagrangian formulation, 275
evaporating sprays, 163
evaporation, 713
experimental, 1177
extended glare point velocimetry and sizing, 463
film boiling, 799
flash atomization, 1337
flash boiling spray, 463
flash boiling, 1197, 1241, 1259
flash boiling, 439, 633
flash-boiling atomization, 377
fluid oscillators, 673
fuel injector, 939
fuel spray, 53, 939
fuel-air mixer, 1177
gas atomization, 23
gas layer thickness, 585
gas-liquid axial velocity continuity, 1
gas-liquid swirl coaxial injector, 535
gasoline direct injection, 463
gasoline engine, 53
gas-to-liquid mass ratio, 535
Gdi, 889
helical instability, 1127
heterogeneous nucleation, 1259
high vapor pressure liquids, 121
high-speed imaging, 135, 411, 755
high-speed, 1177
homogenous nucleation, 1241, 1259
hot-melt coating agent, 1031
hydrodynamic stability, 349
impingement diesel spray, 921
information theory, 1069

initial spray characteristics, 301
 injection pressure, 513, 921
 inner-droplet temperature distribution, 551
 instability, 319
 interferometry, 1111
 Jatropa methyl ester, 961
 jet interactions, 673
 jet trajectory, 1083
 jet, 659
 Jet-A, 1177
 jet-in-cross-flow, 1177
 Lagrangian spray simulation, 687
 Lagrangian, 713
 laser diffraction, 1337
 Leidenfrost droplet, 799
 Leidenfrost regime, 853
 ligament, 585
 linear instability analysis, 1, 73
 linear Raman scattering, 1337
 liquid atomization, 483
 liquid jet in cross-flow, 687
 liquid jet, 1083
 liquid jets, 349
 liquid sheet, 319, 827
 low injection pressure, 377
 macroscopic spray characteristics, 439
 mass-transfer rate, 1307
 mean droplet size, 1031
 measurement technique, 219
 microscopic characteristics, 463
 Mie-scattering technique, 607
 mixture homogeneity, 1151
 mixture preparation, 1151
 modeling for dispersed spray solvers, 853
 monodisperse jet disintegration, 121
 multi-hole injector, 439
 multiphase, 1177
 multi-threshold, 377
 multivariate regression, 301
 non-Newtonian fluids, 349
 nozzle entry radius, 961
 nozzle pressure, 301
 nozzle, 659, 939
 number of broken glass particles, 1051
 numerical modeling, 163
 numerical models, 1307
 numerical simulation, 257
 OpenFOAM®, 713, 775
 operating conditions, 739
 particle image velocimetry, 411, 799, 921
 particle size distribution, 23
 particle tracking velocimetry, 411
 particle/droplet image analysis, 961
 Peclet number, 551
 penetration height, 1083
 perforated disk, 483
 perforation, 827
 petroleum diesel, 607
 phase Doppler interferometer, 235
 phase Doppler particle anemometry, 755
 phosphorescence, 219
 planar statistics, 1009
 poly-disperse turbulent spray, 275
 porous substrates, 257
 power-law fluid, 319
 primary atomization modeling, 687
 processing methods, 1009
 public health, 739
 pulsed low pressure injector, 755
 R134a, 377
 rail pressure, 607
 RANS-based simulation, 163
 rapid atomization, 1361
 rate of injection, 889
 rate of momentum, 889
 real gas effect, 815
 recess length, 535
 relative span, 1069
 rock-breaking, 659
 Rosin-Rammler, 483
 rotary atomizer, 483
 rotating cup, 483
 self-pulsation, 535
 sensitivity analysis, 607
 shadowgraph, 1177
 shadowgraphy, 1337
 shear breakup regime, 687
 shear, 1127
 size distribution, 827
 slinger, 483
 slot injector, 93, 633
 small gas turbines, 483
 spark-ignition engines, 1197
 spatial-temporal instability, 73, 815
 spectroscopy, 1337
 spin coating, 1111
 spiral-type turning, 585
 spray boundary conditions, 687
 spray characteristics, 513, 535
 spray characterization, 1009
 spray collapse, 1361
 spray distribution, 483
 spray droplet evaporation, 1197
 spray drying, 121
 spray initial conditions, 687
 spray patterns, 607, 1151
 spray structure, 1241
 spray uniformity, 1069
 spray, 219, 235, 775, 827, 1259
 spray-film interactions, 1111
 sprays, 673
 subcritical cryogenic combustion, 411
 super heat, 633

supercritical carbon dioxide, 659
supercritical shear layer, 815
superheated gasoline direct-injection spray, 1361
superheated spray, 439
surface tension gradient, 349
surface tension, 585
swirl, 1127
Taylor analogy breakup, 23
temperature measurement, 1337
temperature, 607
temporal instability, 73
thermodynamic non-equilibrium, 1307
three-dimensional instability, 1
transition regime, 673
transported joint PDF method, 275
turbulent channel flow, 187
twin-orifice atomizer, 377
two-perspective high-speed imaging, 983
two-phase flow, 1307
ultralow volume sprays, 739
ultrasonic sprays, 1069
vector control, 739
velocity field, 921
viscoelastic liquid jet, 1
viscoelastic liquid, 73
viscosity, 585, 607
visualization, 939
volume-of-fluid method, 187
vortex, 53
VVER reactor, 235
water magnitude, 513
wetted wall, 983