

ISSN 1044-5110
ATSPE2

ATOMIZATION AND SPRAYS

Journal of the International Institutes for Liquid Atomization and Spray Systems

Volume 2

1992

ATOMIZATION AND SPRAYS

Journal of the International Institutes for Liquid Atomization and Spray Systems

Editor

NORMAN CHIGIER

Department of Mechanical Engineering
Carnegie-Mellon University
Pittsburgh, PA 15213-3890
(412) 268-2498

Editorial Assistant

Eunice Hench

EDITORIAL BOARD

Will Bachalo, *Sunnyvale, CA*
W. Balachandran, *Surrey, U.K.*
Josette Bellan, *Pasadena, CA*
W. Buschulte, *Hardthausen am Kocher, Germany*
H. H. Chiu, *Tainan, Taiwan, R.O.C.*
Lee G. Dodge, *San Antonio, TX*
Norman Dombrowsky, *Leeds, U.K.*
M. M. Elkotb, *Cairo, Egypt*
G. Faeth, *Ann Arbor, MI*
Omer L. Gulder, *Ottawa, Ontario*
Hiroyuki Hiroyasu, *Saijo-Machi Ohaza Sitami, Japan*

Jan B. Kennedy, *East Hartford, CT*
Arthur H. Lefebvre, *West Lafayette, IN*
J. E. Peters, *Urbana, IL*
Rolf Reitz, *Warren, MI*
G. S. Samuelsen, *Irvine, CA*
D. W. Senser, *W. Lafayette, IN*
W. A. Sirignano, *Irvine, CA*
Yoram Tambour, *Haifa, Israel*
A. J. Yule, *Manchester, U.K.*
S. Zanelli, *Pisa, Italy*

Editorial Office: Norman Chigier, Department of Mechanical Engineering, Carnegie-Mellon University, Pittsburgh, PA 15213, telephone (412) 268-2498.

Publishing, Advertising, and Production Offices: Publishing and Advertising: Begell House Inc., 79 Madison Avenue, Suite 1106, New York, NY 10016-7892, telephone (212) 725-1999.

Atomization and Sprays (ISSN 1044-5110) is published quarterly by Begell House Inc. Annual 1992 institutional subscription US \$135. Personal subscription rate US \$45. Personal subscriptions are available to home address only and must be paid for by personal check.

All subscriptions are payable in advance and all rates include postage. Subscriptions are entered on an annual basis, i.e., January to December. Payment should be made by dollar check or international money order.

Copyright © 1992 by Begell House Inc. All rights reserved. Printed in the United States of America. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Begell House Inc. for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of \$3.00 per copy, plus .00 per page is paid directly to CCC, 27 Congress St., Salem, MA 01970, USA.

The publisher assumes no responsibility for any statements of fact or opinion expressed in the published papers or in the advertisements. **Atomization and Sprays** is owned by Begell House Inc.

CONTENTS OF VOLUME 2

NUMBER 1

- 1 Interpreting Mean Drop Diameters Using Distribution Moments **W.A. Sowa**
- 17 Flat-Sheet Twin-Fluid Atomization of High-Viscosity Fluids. Part I: Newtonian Liquids **Keith E. Knoll and Paul E. Sojka**
- 37 Formation of Monosized Droplets by a Vibrating Liquid-Liquid Jet **T.K. Das**
- 45 Design and Characterization of Twin-Fluid Y-Jet Atomizers **P. Andreussi, L. Tognotti, G. De Michele, and M. Graziadio**
- 61 Atomization of Highly Viscous Liquids by a Spinning Disk **Yoshiro Kitamura and Teruo Takahashi**

NUMBER 2

- 73 Correcting Malvern Particle Size Measurements for Phase Distortion **R.W. Pietsch, P.E. Sojka, and G.B. King**
- 87 Atomization Characteristics of a High-Speed Rotary-Bell Paint Applicator **P.L. Corbeels, D.W. Senser, and A.H. Lefebvre**
- 101 Twin-Fluid Atomization: Factors Influencing Mean Drop Size **Arthur H. Lefebvre**
- 121 Wave Characteristics of Liquid Sheets with Impinging Air Jets **Hasan Eroglu and Norman Chigier**
- 137 Morphological Classification of Disintegration of Round Liquid Jets in a Coaxial Air Stream **Zoltan Farago and Norman Chigier**
- 155 Drop Distribution Effects on Planar Laser Imaging of Sprays **H.M. Ryan, S. Pal, W. Lee, and R.J. Santoro**
- 179 Number Distribution Function of Drop Size and Velocity in Water Sprays **Akira Moriyama and Tatsuya Yamada**

NUMBER 3

- 193 Solutions of Polydisperse Spray Sectional Equations via a Multiple-Scale Approach: An Analysis of a Premixed Polydisperse Spray Flame **I. Silverman, J. B. Greenberg, and Y. Tambour**
- 225 Boundary-Layer Characteristics of a Swirl Atomizer **C. Dumouchel, M. I. G. Bloor, N. Dombrowski, D. B. Ingham, and M. Ledoux**
- 239 A One-Dimensional Numerical Model of Capillary Instability **R. W. Sellens**
- 253 Atomization of Alloy Powders **E. J. Lavernia, T. S. Srivatsan, and R. H. Rangel**
- 275 Spatial Distortion of Spray Diffusion Flames **J. B. Greenberg and R. Cohen**
- 295 Primary Breakup in Gas/Liquid Mixing Layers for Turbulent Liquids **P.-K. Wu, L.-K. Tseng, and G. M. Faeth**
- 319 Analysis of the Ideal Phase-Doppler System: Limitations Imposed by the Single-Particle Constraint **C. F. Edwards and K. D. Marx**

NUMBER 4

- 367 Phase-Shift Doppler Anemometer Measurements of Diesel Spray Behavior in Open Combustion Chambers **M. M. ElKotb, O. M. F. Elbahar, T. I. Sabry, and S. A. Wilson**
- 385 Accounting for Depth of Field in Sizing Spherical Particles by Imaging **D. G. Talley and M. Hassani**
- 411 Effect of Nozzle Configuration on the Atomization of a Steady Spray **Takao Karasawa, Masaki Tanaka, Kazuhiro Abe, Seiichi Shiga, and Toshio Kurabayashi**
- 427 Numerical Prediction of Nonevaporating and Evaporating Fuel Sprays under Nonreactive Conditions **X. Q. Chen and J. C. F. Pereira**
- 445 Measurements and Predictions of a Liquid Spray from an Air-Assist Nozzle **Daniel L. Bulzan, Yeshayahou Levy, Suresh K. Aggarwal, and Susheel Chitre**
- 463 Atomization, Charge, and Deposition Characteristics of Bipolarly Charged Aircraft Sprays **K. D. Kihm, B. H. Kim, and A. R. McFarland**

AUTHOR INDEX TO VOLUME 2

- Abe, K., 411
Aggarwal, S. K., 445
Andreussi, P., 45
- Bloor, M. I. G., 225
Bulzan, D. L., 445
- Chen, X. Q., 427
Chigier, N., 121, 137
Chitre, S., 445
Cohen, R., 275
Corbeels, P. L., 87
- Das, T. K., 37
De Michele, G., 45
Dombrowski, N., 225
Dumouchel, C., 225
- Edwards, C. F., 319
Elbahar, O. M. F., 367
ElKotb, M. M., 367
Eroglu, H., 121
- Faeth, G. M., 295
Farago, Z., 137
- Graziadio, M., 45
Greenberg, J. B., 193, 275
- Hassani, M., 385
- Ingham, D. B., 225
- Karasawa, T., 411
Kihm, K. D., 463
Kim, B. H., 463
King, G. B., 73
Kitamura, Y., 61
Knoll, K. E., 17
Kurabayashi, T., 411
- Lavernia, E. J., 253
Ledoux, M., 225
Lee, W., 155
Lefebvre, A. H., 87, 101
Levy, Y., 445
- McFarland, A. R., 463
Marx, K. D., 319
Moriyama, A., 179
- Pal, S., 155
Pereira, J. C. F., 427
Pietsch, R. W., 73
- Rangel, R. H., 253
Ryan, H. M., 155
- Sabry, T. I., 367
Santoro, R. J., 155
Sellens, R. W., 239
Sensor, D. W., 87
Shiga, S., 411
Silverman, I., 193
Srivatsan, T. S., 253
Sojka, P. E., 17, 73
Sowa, W. A., 1
- Takahashi, T., 61
Talley, D. G., 385
Tambour, Y., 193
Tanaka, M., 411
Tognotti, L., 45
Tseng, L.-K., 295
- Wilson, S. A., 367
Wu, P.-K., 295
- Yamada, T., 179

SUBJECT INDEX TO VOLUME 2

- Air-assist nozzle, measurements and predictions of a liquid spray, 445
- Aircraft sprays, bipolarly charged, atomization, charge, and deposition characteristics of, 463
- Alloy powders, atomization of, 253
- Atomization of a steady spray, effect of nozzle configuration, 411
- Atomization of high-viscosity fluids, 17
- Atomization of highly viscous liquids by a spinning disk, 61
- Bipolarly charged aircraft sprays, atomization, charge, and deposition characteristics, 463
- Capillary instability, one-dimensional numerical model, 239
- Depth of field, accounting for in sizing spherical particles by imaging, 385
- Diesel spray behavior in open combustion chambers, phase-shift Doppler anemometer measurements, 367
- Disintegration of round liquid jets in a coaxial air stream, morphological classification of, 137
- Distribution moments, for interpreting mean drop diameters, 1
- Drop diameters using distribution moments, 1
- Drop distribution effects on planar laser imaging of sprays, 155
- Drop size in water sprays, number distribution function, 179
- Evaporating fuel sprays under nonreactive conditions, numerical prediction, 427
- Flat-sheet twin-fluid atomization of high-viscosity fluids, 17
- Fuel sprays, nonevaporating and evaporating, numerical prediction under nonreactive conditions, 427
- Gas/liquid mixing layers, primary breakup for turbulent liquids, 295
- High-viscosity fluids, flat-sheet twin-fluid atomization of, 17
- High-viscosity liquids, atomization by a spinning disk, 61
- Imaging of spherical particles: accounting for depth of field in sizing, 385
- Laser imaging of sprays, drop distribution effects, 155
- Liquid jets in a coaxial air stream, morphological classification of disintegration, 137
- Liquid sheets with impinging air jets, wave characteristics, 121
- Liquid-liquid jet, formation of monosized droplets by, 37
- Malvern particle size measurements, correcting for phase distortion, 73
- Mean drop diameters using distribution moments, 1
- Mean drop size, in twin-fluid atomization, 101
- Monosized droplets, formation by a vibrating liquid-liquid jet, 37
- Newtonian liquids, flat-sheet twin-fluid atomization of, 17
- Nonevaporating fuel sprays under nonreactive conditions, numerical prediction of, 427
- Nozzle configuration, effect on the atomization of a steady spray, 411
- Open combustion chambers, phase-shift Doppler anemometer measurements of diesel spray behavior, 319
- Paint applicator, high-speed rotary-bell, 87
- Phase distortion, correcting Malvern particle size measurements for, 73
- Phase-Doppler system, ideal: limitations imposed by the single-particle constraint, 319

- Phase-shift Doppler anemometer
 - measurements of diesel spray behavior in open combustion chambers, 319
- Planar laser imaging of sprays, drop distribution effects, 155
- Polydisperse sectional equations, 193
- Polydisperse spray flame, solution of sectional equations, 193

- Rotary-bell high-speed paint applicator, atomization characteristics, 87

- Spherical particles, accounting for depth of field in sizing by imaging, 385
- Spinning disk atomization of highly viscous liquids, 61
- Spray diffusion flames, spatial distortion of, 275
- Swirl atomizer, boundary-layer characteristics of, 225

- Turbulent liquids, primary breakup in gas/liquid mixing layers, 295
- Twin-fluid atomization: factors influencing mean drop size, 101
- Twin-fluid flat-sheet atomization of high-viscosity fluids, 17
- Twin-fluid Y-jet atomizers, design and characterization, 45


- Velocity in water sprays, number distribution function, 179
- Vibrating liquid-liquid jet, formation of monosized droplets by, 37

- Water sprays, number distribution function of drop size and velocity, 179

- Y-jet twin-fluid atomizers, design and characterization, 45

SPRAY MOTION ANALYSIS

using the **PALFLASH** SHORT EXPOSURE
PULSED FLASH UNIT



Features:

- very short exposure
- 500 nsec freezes motion
- uses regular still camera
- fast repetition rate to 1 μ sec between flashes – adjustable
- multiple flashes – maximum four
- sharp shadows due to point source and collimating optics
- high stability with Argon Gas purging
- high energy makes most films usable, including colour film



Aerosol droplets photographed using a two-flash PALFLASH with exposure time of 300 nsec, moving at 2.7 m/sec. Average size of particles 100 μ m.

For more information contact:

photonics
Analysis Ltd

410 Conestogo Road
Waterloo, Ontario, Canada N2L 4E2
Tel: (519) 885-2159 Fax: (519) 885-4712

Distributed in the USA by: The Cooke Corporation
900 Herel Ave., Box 209
Buffalo, NY 14216-0209 Tel: (716) 833-8274