

ISSN 1044-5110
ATSPE2

ATOMIZATION AND SPRAYS

Journal of the International Institutes for Liquid Atomization and Spray Systems

Volume 6

1996

ATOMIZATION AND SPRAYS

Journal of the International Institutes for Liquid Atomization and Spray Systems

Editor

NORMAN CHIGIER

Department of Mechanical Engineering
Carnegie-Mellon University
5000 Forbes Avenue
Pittsburgh, PA 15213-3890
Phone: (412) 268-2498
FAX: (412) 268-3348
email: chigier@andrew.cmu.edu

Assistant to the Editor

Kathleen McClintock
Phone: (412) 268-3050
FAX: (412) 268-3348
email: km63@andrew.cmu.edu

Associate Editors

Joachim Dornick
Lehrstuhl für Strömungsmechanik
Universität Erlangen-Nürnberg
Cauerstrasse 4
D 91058 Erlangen
GERMANY
Phone: 9131-859567
FAX: 9131-859503

Masataka Arai
Mechanical Systems Engineering
Gunma University
Tenjin-cho 1-5-1
Kiryu, Gunma 376
JAPAN
Phone 81-277-30-1522
FAX: 81-277-30-1521
email: arai@tech.gunma-u.ac.jp

Editorial Board

Nasser Ashgriz, SUNY, Buffalo, NY
William Bachalo, Aerometrics, CA
W. Balachandran, Univ. of Uxbridge, U.K.
Josette Bellan, Jet Propulsion Lab, CA
Winfried Buschulte, Neuenstadt, Germany
Antonio Cavaliere, Univ. of Napoli, Italy
Paul Chiu, NCKU, Tainan, Taiwan
Lee G. Dodge, Southwest Research, TX
Christophe Dumouchel, Rouen, France
Jerry Faeth, Univ. of Michigan, Ann Arbor
Zoltan Farago, DFVLR, Germany
Andrew Hewitt, Macon, MO

Hiroyuki Hiroyasu, Univ. of Hiroshima, Japan
Jan B. Kennedy, UTRC, Hartford, CT
Arthur H. Lefebvre, Stratford, U.K.
Jim Peters, Univ. of Illinois, Urbana
Rolf Reitz, Univ. of Wisconsin, Madison
Scott Samuelsen, Univ. of CA, Irvine
William Sirignano, Univ. of CA, Irvine
Greg Smallwood, NRC, Ottawa, Canada
Paul Sojka, Purdue University, IN
Yoram Tambour, Technion, Israel
Leonardo Tognotti, Univ. of Pisa, Italy
Cam Tropea, Univ. of Erlangen, Germany
Andrew Yule, UMIST, Manchester, U.K.

CONTENTS OF VOLUME 6

NUMBER 1

- 1 Multiple-State Phenomena and Hysteresis of a Combusting Isolated Droplet **H. H. Chiu and J. S. Huang**
- 27 Droplet Transport in Simplex and Air-Assisted Sprays **W. H. Lai, K. H. Yang, C. H. Hong, and M. R. Wang**
- 51 Effects of Flow Nonuniformity and Relative Acceleration on Droplet Dynamics **F. Peng and S. K. Aggarwal**
- 77 Experimental and Numerical Study of the Atomization of a Planar Liquid Sheet **Antonio Lozano, Charles J. Call, César Dopazo, and Antonio García-Olivares**
- 95 Spray Characteristics in a Direct-Injection Diesel Engine **H. C. Yang, H. S. Ryou, Y. T. Jeong, and Y. K. Choi**
- 111 Liquid Core Structure of Pressure-Atomized Sprays via Laser Tomographic Imaging **T.-W. Lee and A. Mitrovic**

NUMBER 2

- 127 Unsteady and Quasi-Steady Vaporization of Spherical Droplet Clouds **Muh Hsiung Yang and Martin Sichel**
- 145 Anatomy of an Isothermal and a Burning Hollow-Cone Spray **B. Chehroudi and M. Ghaffarpour**
- 167 Measurement of Extensional Viscosity of Polymer Solutions and Its Effects on Atomization from a Spray Nozzle **R. W. Dexter**
- 193 Study of Atomization Mechanism of Gas/Liquid Mixtures Flowing through Y-jet Atomizers **Si Hong Song and Sang Yong Lee**
- 211 Limitations of the Stochastic Approach in Two-Phase Turbulent Flow Calculations **Keh-Chin Chang, Wen-Jing Wu, and Muh-Rong Wang**
- 227 Shear Coaxial Injector Atomization Phenomena for Combusting and Non-Combusting Conditions **S. Pal, M. D. Moser, H. M. Ryan, M. J. Foust, and R. J. Santoro**

NUMBER 3

- 245 Breakup of Droplets of Newtonian and Non-Newtonian Fluids
C. Arcoumanis, D. S. Whitelaw, and J. H. Whitelaw
- 257 Spray Visualization and Hydraulic Characterization of the Holes
of a Five-Hole, Valve-Covered-Orifice Nozzle of an Electronically
Controlled Diesel Injector **R. Campanella, V. Damiani,
and D. Laforgia**
- 285 Comparative Study of Twin-Fluid Atomization Using Sonic or
Supersonic Gas Jets **B. K. Park, J. S. Lee, and K. D. Kihm**
- 305 Precision Droplet-Based Manufacturing and Material Synthesis:
Fluid Dynamics and Thermal Control Issues
Melissa E. Orme, Changzheng Huang, and Jon Courter
- 331 Measurement of the Evaporation Rates of Closely Spaced
Flowing Droplets by Optical Cavity Resonances
**J. Christian Swindal, Gang Chen, Karl Scheschak,
Richard K. Chang, and Thomas Jackson**
- 353 Breakup Mechanisms and Drag Coefficients of High-Speed
Vaporizing Liquid Drops **S. S. Hwang, Z. Liu, and R. D. Reitz**

NUMBER 4

- 377 Drop Size Measurements in Heavy Oil Sprays from Pressure-Swirl
Nozzles **J. M. Ballester and C. Dopazo**
- 409 Mean Behavior of a Coaxial Air-Blast Atomized Spray in a
Co-Flowing Air Stream **Jean-Jacques Karl, Daniel Huilier,
and Henri Burnage**
- 435 Autoignition Characteristics of Diesel Sprays under Different
Injection Conditions **R. Ragucci, A. Cavaliere, and C. Noviello**
- 447 Spray Formation by Flashing of a Binary Mixture: An Energy Balance
Approach **Eran Sher and Michal Zeigerson-Katz**
- 461 Atomization Characteristics of Pressure-Modulated Automotive
Port Injector Sprays **Fu-Quan Zhao, Ming-Chia Lai,
Amer Ahmad Amer, and John L. Dressler**
- 485 Droplet Stream Dynamics at High Ambient Pressure
C. S. Connon and D. Dunn-Rankin

NUMBER 5

- 499** Single-Point Statistics of Ideal Sprays, Part I: Fundamental Descriptions and Derived Quantities **C. F. Edwards and K. D. Marx**
- 537** Pulsed-Fuel Spray Vapor-Phase Characterization **P. D. Jennings and J. A. Drallmeier**
- 563** Effect of Viscosity on the Linear Instability of a Flat Liquid Sheet **J. Cousin and C. Dumouchel**
- 577** Turbulence Characteristics of a Twin-Fluid Atomizer **T. Sakai, D. Q. Zhao, M. Iijima, M. Saito, and M. Sato**
- 601** Coupling of Classical Linear Theory and Maximum Entropy Formalism for Prediction of Drop Size Distribution in Sprays: Application to Pressure-Swirl Atomizers **J. Cousin, S. J. Yoon, and C. Dumouchel**

NUMBER 6

- 623** The Stability Curve of Newtonian Liquid Jets **S. Leroux, C. Dumouchel, and M. Ledoux**
- 649** Three-Dimensional Instability of Viscous Liquid Sheets **E. A. Ibrahim and E. T. Akpan**
- 667** Deformation and Breakup of Drops by Aerodynamic Forces **A. A. Shraiber, A. M. Podvysotsky, and V. V. Dubrovsky**
- 693** Entrained Air and Droplet Velocities Produced by Agricultural Flat-Fan Nozzles **P. C. H. Miller, M. C. Butler Ellis, and C. R. Tuck**
- 709** Modeling Cavitating Flows in Diesel Injectors **Yongliang Chen and S. D. Heister**

AUTHOR INDEX TO VOLUME 6

- Aggarwal, S. K., 51
Akpan, E. T., 649
Amer, A. A., 461
Arcoumanis, C., 245
- Ballester, J. M., 377
Burnage, H., 409
- Call, C. J., 77
Campanella, R., 257
Cavaliere, A., 435
Chang, K.-C., 211
Chang, R. K., 331
Chehroudi, B., 145
Chen, G., 331
Chen, Y.-L., 709
Chiu, H. H., 1
Choi, Y. K., 95
Connon, C. S., 485
Courter, J., 305
Cousin, J., 563, 601
- Damiani, V. 257
Dexter, R. W., 167
Dopazo, C., 77, 377
Drallmeier, J. A., 537
Dressler, J. L., 461
Dubrovsky, V. V., 667
Dumouchel, C., 563, 601, 623
Dunn-Rankin, D., 485
- Edwards, C. F., 499
Ellis, M. C. B., 693
- Foust, M. J., 227
- García-Olivares, A., 77
Ghaffarpour, M., 145
- Heister, S. D., 709
Hong, C. H., 27
Huang, C.-Z., 305
Huang, J. S., 1
Huilier, D., 409
Hwang, S. S., 353
- Ibrahim, E. A., 649
Iijima, M., 577
- Jackson, T., 331
Jennings, P. D., 537
Jeong, Y. T., 95
- Karl, J.-J., 409
Kihm, K. D., 285
- Laforgia, D., 257
Lai, M.-C., 461
Lai, W. H., 27
Ledoux, M., 623
Lee, J. S., 285
Lee, S. Y., 193
Lee, T.-W., 111
Leroux, S., 623
Liu, Z., 353
Lozano, A., 77
- Marx, K. D., 499
Miller, P. C. H., 693
Mitrovic, A., 111
Moser, M. D., 227
- Noviello, C., 435
- Orme, M. E., 305
- Pal, S., 227
Park, B. K., 285
Peng, F., 51
Podvysotsky, A. M., 667
- Ragucci, R., 435
Reitz, R. D., 353
Ryan, H. M., 227
Ryou, H. S., 95
- Saito, M., 577
Sakai, T., 577
Santoro, R. J., 227
Sato, M., 577

Scheschak, K., 331
Sher, E., 447
Shraiber, A. A., 667
Sichel, M., 127
Song, S. H., 193
Swindal, J. C., 331

Tuck, C. R., 693

Wang, M. R., 27, 211
Whitelaw, D. S., 245

Whitelaw, J. H., 245
Wu, W.-J., 211

Yang, H. C., 95
Yang, K. H., 27
Yang, M. H., 127
Yoon, S. J., 601

Zeigerson-Katz, M., 447
Zhao, D. Q., 577
Zhao, F.-Q., 461

SUBJECT INDEX TO VOLUME 6

- Aerodynamic forces, deformation and breakup of drops, 667
- Agricultural flat-fan nozzles, 693
- Air-assisted sprays, 27
- Air-blast atomized spray in a co-flowing air stream, 409
- Atomization
 - of gas/liquid mixtures, 193
 - of a planar liquid sheet, 77
 - of pressure-modulated automotive port injector sprays, 461
 - in a shear coaxial injector, 227
 - from a spray nozzle, 167
 - twin-fluid, 285
- Atomized spray, coaxial air-blast, 409
- Atomizers
 - pressure-swirl, 601
 - twin-fluid, 577
 - Y-jet, 193
- Autoignition characteristics of diesel sprays, 435
- Automotive port injector sprays, 461

- Binary mixture, spray formation by flashing, 447
- Breakup
 - of droplets of Newtonian and non-Newtonian fluids, 245
 - of drops by aerodynamic forces, 667
 - of high-speed vaporizing liquid drops, 353
- Burning hollow-cone spray, 145

- Cavitating flows in diesel injectors, 709
- Classical linear theory, 601
- Closely spaced flowing droplets, evaporation rates, 331
- Co-flowing air stream of a coaxial air-blast atomized spray, 409
- Coaxial air-blast atomized spray, 409
- Coaxial injector atomization, 227
- Combusting conditions, 227
- Combusting isolated droplet, 1

- Deformation of drops by aerodynamic forces, 667
- Diesel engine, 95
- Diesel injector, electronically controlled, 257
- Diesel injectors, cavitating flows, 709
- Diesel sprays, autoignition characteristics, 435
- Direct-injection diesel engine, 95
- Drag coefficients, of high-speed vaporizing liquid drops, 353
- Drop breakup by aerodynamic forces, 667
- Drop deformation by aerodynamic forces, 667
- Drop size distribution, 601
- Drop size measurements, in heavy oil sprays, 377
- Droplet dynamics, 51
- Droplet stream dynamics at high ambient pressure, 485
- Droplet transport, 27
- Droplet velocities, produced by agricultural flat-fan nozzles, 693
- Droplet-based manufacturing and material synthesis, 305

- Electronically controlled diesel injector, 257
- Energy balance approach to spray formation, 447
- Entrained air produced by agricultural flat-fan nozzles, 693
- Evaporation rates, of closely spaced flowing droplets, 331
- Extensional viscosity, 167

- Five-hole, valve-covered-orifice nozzle, 257
- Flashing of a binary mixture, 447
- Flat liquid sheet, effect of viscosity on linear instability, 563
- Flat-fan nozzles, agricultural, 693
- Flow calculations, turbulent two-phase, 211
- Flow nonuniformity, 51
- Flowing droplets, evaporation rates, 331
- Fluid dynamics, of precision droplet-based manufacturing and material synthesis, 305

- Gas jets
 - sonic, 285
 - supersonic, 285
- Gas/liquid mixtures, flowing through Y-jet atomizers, 193

- Heavy oil sprays, 377
- High ambient pressure, droplet stream dynamics, 485
- High-speed vaporizing liquid drops, 353
- Hollow-cone sprays, 145
- Hydraulic characteristics, of the holes of a nozzle, 257
- Hysteresis, 1
- Ideal sprays, single-point statistics, 499
- Injector atomization, 227
- Instability of viscous liquid sheets, 649
- Isolated droplet, 1
- Isothermal hollow-cone spray, 145
- Laser tomographic imaging, 111
- Linear instability, of a flat liquid sheet, 563
- Linear theory, classical, 601
- Liquid core structure, of pressure-atomized sprays, 111
- Liquid drops, high-speed vaporizing, 353
- Liquid jets, Newtonian, 623
- Liquid sheet
flat, 563
planar, 77
viscous, 649
- Manufacturing, droplet-based, 305
- Material synthesis, droplet-based, 305
- Maximum entropy formalism, 601
- Multiple state phenomena, 1
- Newtonian fluids, breakup of droplets, 245
- Newtonian liquid jets, stability curve, 623
- Non-combusting conditions, 227
- Non-Newtonian fluids, breakup of droplets, 245
- Nozzle, five-hole, valve-covered-orifice, 257
- Optical cavity resonance, 331
- Planar liquid sheet, 77
- Polymer solutions, extensional viscosity, 167
- Pressure-atomized sprays, 111
- Pressure-modulated automotive port injector sprays, 461
- Pressure-swirl atomizers, 601
- Pressure-swirl nozzles, drop size measurements in heavy oil sprays, 377
- Pulsed-fuel-spray vapor-phase characterization, 537
- Quasi-steady vaporization, of spherical droplet clouds, 127
- Relative acceleration, 51
- Resonance, optical cavity, 331
- Shear coaxial injector atomization phenomena, 227
- Simplex sprays, 27
- Single-point statistics, of ideal sprays, 499
- Sonic gas jets, 285
- Spherical droplet clouds, 127
- Spray characteristics, in a direct-injection diesel engine, 95
- Spray formation, by flashing of a binary mixture, 447
- Spray nozzle, atomization from, 167
- Spray visualization, of the holes of a nozzle, 257
- Stability curve, of Newtonian liquid jets, 623
- Stochastic approach, in two-phase turbulent flow calculations, 211
- Supersonic gas jets, 285
- Thermal control, in precision droplet-based manufacturing and material synthesis, 305
- Tomographic imaging, 111
- Turbulence characteristics, of a twin-fluid atomizer, 577
- Turbulent flow calculations, two-phase, 211
- Twin-fluid atomization, using sonic or supersonic gas jets, 285
- Twin-fluid atomizer, turbulence characteristics, 577
- Two-phase turbulent flow calculations, 211
- Unsteady vaporization of spherical droplet clouds, 127
- Valve-covered-orifice nozzle, 257
- Vapor phase, pulsed-fuel-spray characterization, 537
- Vaporization, of spherical droplet clouds, 127
- Vaporizing liquid drops, breakup mechanisms and drag coefficients, 353
- Viscosity, effect on the linear instability of a flat liquid sheet, 563
- Viscous liquid sheets, 649
- Y-jet atomizers, 193