

## TABLE OF CONTENTS FOR VOLUME 25

### ATOMIZATION AND SPRAYS

#### PAGE RANGE OF ISSUES

Issue 1:1-98; Issue 2: 99-188; Issue 3: 189-284; Issue 4: 285-374;  
 Issue 5: 375-452; Issue 6: 453-538; Issue 7: 539-642; Issue 8: 643-736;  
 Issue 9: 737-836; Issue 10: 837-931; Issue 11: 933-1024; Issue 12: 1025-1125

<b>Number 1</b>	
<b>Effect of Recess Length on Instability in a Gas-Centered Liquid Annular Jet</b> <i>J.M. Chung, J. Yoon, &amp; Y. Yoon</i>	<b>1</b>
<b>Thin-Film Formation by Using Flash-Boiling Spray</b> <i>M. Oshima, J. Senda, &amp; K. Ishida</i>	<b>23</b>
<b>Atomization Modelling of Liquid Jets Using a Two-Surface-Density Approach</b> <i>B.M. Devassy, C. Habchi, &amp; E. Daniel</i>	<b>47</b>
<b>Effects of Cross-Flow on Fuel Spray Injected by Hole-Type Injector for Direct Injection Gasoline Engine</b> <i>M. Guo, R. Kishi, B. Shi, Y. Ogata, &amp; K. Nishida</i>	<b>81</b>
<b>Number 2</b>	
<b>Two-Dimensional Instability Response of an Electrified Viscoelastic Planar Liquid Sheet Subjected to Unrelaxed Axial Elastic Tension</b> <i>M.-X. Tong, Q.-F. Fu, &amp; L.-J. Yang</i>	<b>99</b>
<b>Hydrodynamic Instabilities of Two Viscoelastic Liquid Sheet Models in an Inviscid Gas Medium</b> <i>M.F. El-Sayed, G.M. Moatimid, F.M.F. Elsabaa, &amp; M.F.E. Amer</i>	<b>123</b>
<b>Internal and External Flow Characteristics of Swirl Atomizers: A Review</b> <i>G.A. Vijay, N.S.V. Moorthy, &amp; A. Manivannan</i>	<b>153</b>
<b>Number 3</b>	
<b>Spray in Automotive Applications: Part I</b> <i>Q. Xue &amp; S. Som</i>	<b>vii</b>
<b>Eulerian Moment Methods for Automotive Sprays</b> <i>O. Emre, D. Kah, S. Jay, Q.-H. Tran, A. Velghe, S. de Chaisemartin, R.O. Fox, F. Laurent, &amp; M. Massot</i>	<b>189</b>
<b>Numerical Investigation of a Stratified Charge Compression Ignition Engine with Late Injection under Low-Load Noncombusting Conditions</b> <i>H. Zhang, E.R. Hawkes, S. Kook, &amp; W. Hwang</i>	<b>255</b>
<b>Number 4</b>	
<b>Spray in Automotive Applications: Part I</b> <i>Q. Xue &amp; S. Som</i>	<b>vii</b>
<b>Study on Spray Induced Turbulence Using Large Eddy Simulations</b> <i>S. Banerjee &amp; C.J. Rutland</i>	<b>285</b>

<b>A Gibbs Energy Relaxation (GERM) Model for Cavitation Simulation</b> <i>C. Habchi</i>	<b>317</b>
<b>A Spherical Volume Interaction DDM Approach for Diesel Spray Modeling</b> <i>R. Torelli, G. D'Errico, T. Lucchini, V. Ikonomou, &amp; R.M. McDavid</i>	<b>335</b>

---

## Number 5

---

<b>Spray in Automotive Applications: Part II</b> <i>Q. Xue &amp; S. Som</i>	<b>vii</b>
<b>Morphological Exploration of Emerging Jet Flows from Multi-Hole Diesel Injectors at Different Needle Lifts</b> <i>S. Moon, X. Zhang, J. Gao, K. Fezzaa, E. Durfresne, J. Wang, X. Xie, F. Wang, &amp; M.-C. Lai</i>	<b>375</b>
<b>A Novel Spray Model Validation Methodology Using Liquid-Phase Extinction Measurements</b> <i>G.M. Magnotti &amp; C.L. Genzale</i>	<b>397</b>
<b>Uncertainty Quantification for Liquid Penetration of Evaporating Sprays at Diesel-Like Conditions</b> <i>L.M. Pickett, C.L. Genzale, &amp; J. Manin</i>	<b>425</b>

---

## Number 6

---

<b>Spray in Automotive Applications: Part II</b> <i>Q. Xue &amp; S. Som</i>	<b>vii</b>
<b>Effects of Noncondensable Gas on Cavitating Nozzles</b> <i>M. Battistoni, D.J. Duke, A.B. Swantek, F.Z. Tilocco, C.F. Powell, &amp; S. Som</i>	<b>453</b>
<b>One-Dimensional Diesel Spray Modeling of Multicomponent Fuels</b> <i>J.V. Pastor, J.M. García-Olivier, J.M. Pastor, &amp; W. Vera-Tudela</i>	<b>485</b>
<b>Experimental Study of Conical Diesel Nozzle Orifice Geometry</b> <i>T. Hulkonen, T. Sarjovaara, O. Kaario, I. Hämäläinen, &amp; M. Larmi</i>	<b>519</b>

---

## Number 7

---

<b>Evaporation of Water Spray from a Rotary Bell Atomizer Using a Phase Doppler Anemometer</b> <i>R. Ray, P. Henshaw, N. Biswas, &amp; C. Sak</i>	<b>539</b>
<b>Experimental Studies on Air-Assisted Atomization of Jatropha Pure Plant Oil</b> <i>M.M. Avulapati &amp; R.V. Ravikrishna</i>	<b>553</b>
<b>Simulation of the Calcium Chloride Aqueous Salt Solution Spray Regeneration Process</b> <i>Y.A.F. El-Samadony, B.M. Gibbs, &amp; W. Nimmo</i>	<b>571</b>
<b>Development of an Improved Spray/Wall Interaction Model for Diesel-Like Spray Impingement Simulations</b> <i>P. Deng, Q. Jiao, R. Reitz, &amp; Z. Han</i>	<b>587</b>
<b>Abrasive Water Jet Perforation Experiments under Ambient Pressures</b> <i>Z. Huang, G. Li, H. Shi, J. Niu, X. Song, &amp; S. Shao</i>	<b>617</b>

<b>Influence of Drop Spacing on Burning of an Emulsified-Drop String</b>	<b>629</b>
<i>Y.-Y. Lin, C.-K. Chen, &amp; T.-H. Lin</i>	

---

## Number 8

---

<b>Numerical and Experimental Study of Spray Coating Using Air-Assisted High-Pressure Atomizers</b>	<b>643</b>
<i>Q. Ye, B. Shen, O. Tiedje, T. Bauernhansl, &amp; J. Domnick</i>	
<b>Effect of Atomizing Air Flow on Spray Atomization of an Internal-Mix Twin-Fluid Atomizer</b>	<b>657</b>
<i>C.T. Chong &amp; S. Hochgreb</i>	
<b>Experimental Investigation of Spray Characteristics of Diesel-Methanol-Water Emulsion</b>	<b>675</b>
<i>D. Wu, W. Wang, Z. Pang, S. Cao, &amp; J. Yan</i>	
<b>Effect of Elasticity of Boger Fluids on the Atomization Behavior of an Impinging Jet Injector</b>	<b>695</b>
<i>M. Negri &amp; H.K. Ciezki</i>	
<b>A Numerical Study on a Light-Duty Diesel Engine Fueled with Blends of Gasoline and Diesel</b>	<b>715</b>
<i>S. Xiao, W. Sun, L. Guo, M. Tan, L. Fan, &amp; G. Li</i>	

---

## Number 9

---

<b>Evaporation Calculations for Polydisperse Water Sprays Using Spectral Scaling</b>	<b>737</b>
<i>H. Zhao, L. Zhao, W. Jiang, &amp; Y. Zhang</i>	
<b>Image Processing Techniques for Velocity, Interface Complexity, and Droplet Production Measurement in the Near-Nozzle Region of a Diesel Spray</b>	<b>753</b>
<i>K. Lounnaci, S. Idlhacen, D. Sedarsky, C. Rozé, J.B. Blaisot, &amp; F.X. Demoulin</i>	
<b>Experimental Study on Injection and Macroscopic Spray Characteristics of Ethyl Oleate, Jet Fuel, and Their Blend on a Diesel Engine Common Rail System</b>	<b>777</b>
<i>Y. Duan, D. Han, P. Li, C. Wang, H. Lin, &amp; Z. Huang</i>	
<b>A One-Dimensional Two-Phase Flow Model and Experimental Validation for a Flashing Viscous Liquid in a Splash Plate Nozzle</b>	<b>795</b>
<i>M.P. Järvinen, A.E.P. Kankunen, R. Virtanen, P.H. Miikkulainen &amp; V.P. Heikkilä</i>	
<b>Effect of Injection Strategy on the Spray Development Process in a Single-Cylinder Optical GDI Engine</b>	<b>819</b>
<i>J. Song &amp; S. Park</i>	

---

## Number 10

---

<b>Flashing Behavior of Rocket Engine Propellants</b>	<b>837</b>
<i>G. Lamanna, H. Kamoun, B. Weigand, C. Manfletti, A. Rees, J. Sender, M. Oschwald, &amp; J. Steelant</i>	
<b>Theoretical Modeling of Spray Drop Deformation and Breakup in the Multimode Breakup Regime</b>	<b>857</b>
<i>C. Wang, S. Chang, H. Wu, L. Ding, and J. M. Thompson</i>	

<b>A Model for Predicting the Trajectory of a Liquid Jet in a Subsonic Gaseous Crossflow</b>	<b>871</b>
<i>M. Broumand &amp; M. Birouk</i>	
<b>Effect of Assist-Air of Twin Fluid Atomizer on Urea Thermal Decomposition</b>	<b>895</b>
<i>K.W. Ku, J.G. Hong, &amp; C.W. Park</i>	
<b>Comparison of the Flame Spreading Behavior of Oil-In-Water and Water-In-Oil Emulsions Along Linear Emulsion Droplet Arrays in a Microgravity Environment</b>	<b>917</b>
<i>K. Yamada, H. Kataoka, T. Kagami, Y. Unno, D. Segawa, &amp; T. Kadota</i>	

---

## Number 11

---

<b>Investigation of the Characteristics of Fuel Adhesion Formed by Spray/Wall Interaction under Diesel Premixed Charge Compression Ignition (PCCI) Relevant Conditions</b>	<b>933</b>
<i>Y. Zhang, M. Jia, H. Liu, M. Xie, &amp; T. Wang</i>	
<b>Preliminary Investigation on the Spreading Angle of a Near-Critical RP-3 Kerosene Jet</b>	<b>969</b>
<i>L. Jin, W. Fan, Z.-C. Fan, Z. Zhou, &amp; J. Zhang</i>	
<b>Electroconvection Peristaltic Flow of Viscous Dielectric Liquid Sheet in a Symmetrical Flexible Channel</b>	<b>985</b>
<i>M.F. El-Sayed, M.H. Haroun, &amp; D.R. Mostapha</i>	
<b>Dynamics of Cleaning by Hydraulic Pulsed Jet</b>	<b>1013</b>
<i>S. Liu, G. Li, H. Shi, Z. Huang, S. Tian, &amp; R. Yang</i>	

---

## Number 12

---

<b>Influence of Emulsions and Steam Injection on a Diesel Fueled Model Gas Turbine Combustor</b>	<b>1025</b>
<i>M. Sung &amp; V.G. McDonell</i>	
<b>Characterization of n-Butanol and Gasoline Spray from a Multi-hole Injector using Phase Doppler Anemometry</b>	<b>1047</b>
<i>S.N. Igual, L. Marchitto, S.S. Merola, C. Tornatore, &amp; G. Valentino</i>	
<b>Numerical Models for Simulation of Cavitation in Diesel Injector Nozzles</b>	<b>1063</b>
<i>B. Biçer &amp; A. Sou</i>	
<b>Influence of Reactor Pressure on Twin-Fluid Atomization: Basic Investigations on Burner Design for High-Pressure Entrained Flow Gasifier</b>	<b>1081</b>
<i>T. Jakobs, N. Djordjevics, A. Sängers, N. Zarzaliss, &amp; T. Kolb</i>	
<b>Effect of Injection Parameters on Spray Characteristics of Gas-To-Liquid (GTL), Biodiesel, and Diesel Fuel for a Multi-Hole Injector in a Diesel Engine</b>	<b>1107</b>
<i>K. Choi, D. Lee, H.G. Roh, &amp; C.S. Lee</i>	

**AUTHOR INDEX – Volume 25***Atomization and Sprays***PAGE RANGE OF ISSUES**

**Issue 1:1-98; Issue 2: 99-188; Issue 3: 189-284; Issue 4: 285-374;**  
**Issue 5: 375-452; Issue 6: 453-538; Issue 7: 539-642; Issue 8: 643-736;**  
**Issue 9: 737-836; Issue 10: 837-931; Issue 11: 933-1024; Issue 12: 1025-1125**

---

Amer, M.F.E., 123	Gibbs, B.M., 571	Lee, C.S., 1107
Avulapati, M.M., 553	Guo, L., 715	Lee, D., 1107
Banerjee, S., 285	Guo, M., 81	Li, G., 617, 715, 1013
Battistoni, M., 453	Habchi, C., 47, 317	Li, P., 777
Bauernhansl, T., 643	Hämäläinen, I., 519	Lin, H., 777
Biçer, B., 1063	Han, D., 777	Lin, T.-H., 629
Birouk, M., 871	Han, Z., 587	Lin, Y.-Y., 629
Biswas, N., 539	Haroun, M.H., 985	Liu, H., 933
Blaisot, J.B., 753	Hawkes, E.R., 255	Lounnaci, K., 753
Broumand, M., 871	Heikkilä, V.P., 795	Lucchini, T., 335
Cao, S., 675	Henshaw, P., 539	Magnotti, G.M., 397
Chang, S., 857	Hochgreb, S., 657	Manfletti, C., 837
Chen, C.-K., 629	Hong, J.G., 895	Manin, J., 425
Choi, K., 1107	Hwang, W., 255	Manivannan, A., 153
Chong, C.T., 657	Huang, Z., 587, 777, 1013	Marchitto, L., 1047
Chung, J.M., 1	Hulkkonen, T., 519	Massot, M., 189
Ciezki, H.K., 695	Idlahcen, S., 753	McDavid, R.M., 335
Daniel, E., 47	Igual, S.N., 1047	McDonell, V.G., 1025
de Chaisemartin, S., 189	Ikonomou, V., 335	Merola, S.S., 1047
Demoulin, F.X., 753	Ishida, K., 23	Miikkulainen, P.H., 795
Deng, P., 587	Jakobs, T., 1081	Moatimid, G.M., 123
D'Errico, G., 335	Järvinen, M.P., 795	Moon, S., 375
Devassy, B.M., 47	Jay, S., 189	Moorthi, N.S.V., 153
Ding, L., 857	Jia, M., 933	Mostapha, D.R., 985
Djordjevics, N., 1081	Jiang, W., 737	Negri, M., 695
Domnick, J., 643	Jiao, Q., 587	Nimmo, W., 571
Duan, Y., 777	Jin, L., 969	Nishida, K., 81
Duke, D.J., 453	Kaario, O., 519	Niu, J., 617
Durfresne, E., 375	Kadota, T., 917	Ogata, Y., 81
Elsabaa, F.M.F., 123	Kagami, T., 917	Oschwald, M., 837
El-Samadony, Y.A.F., 571	Kah, D., 189	Oshima, M., 23
El-Sayed, M.F., 123, 985	Kamoun, H., 837	Pang, Z., 675
Emre, O., 189	Kankkunen, A.E.P., 795	Park, C.W., 895
Fan, L., 715	Kataoka, H., 917	Park, S., 819
Fan, W., 969	Kishi, R., 81	Pastor, J.M., 485
Fan, Z.-C., 969	Kolb, T., 1081	Pastor, J.V., 485
Fezzaa, K., 375	Kook, S., 255	Pickett, L.M., 425
Fox, R.O., 189	Ku, K.W., 895	Powell, C.F., 453
Fu, Q.-F., 99	Lai, M.-C., 375	Ravikrishna, R.V., 553
Gao, J., 375	Lamanna, G., 837	Ray, R., 539
García-Oliver, J.M., 485	Larmi, M., 519	Rees, A., 837
Genzale, C.L., 397, 425	Laurent, F., 189	

- Reitz, R., 587  
Roh, H.G., 1107  
Rozé, C., 753  
Rutland, C.J., 285  
Sak, C., 539  
Sängers, A., 1081  
Sarjovaara, T., 519  
Sedarsky, D., 753  
Segawa, D., 917  
Senda, J., 23  
Sender, J., 837  
Shao, S., 617  
Shen, B., 643  
Shi, B., 81  
Shi, H., 617, 1013  
Som, S., 453  
Song, J., 819  
Song, X., 617  
Sou, A., 1063  
Steelant, J., 837  
Sun, W., 715  
Sung, M., 1025  
Swantek, A.B., 453  
Tan, M., 715  
Thompson, J. M., 857  
Tian, S., 1013  
Tiedje, O., 643  
Tilococco, F.Z., 453  
Tong, M.-X., 99  
Torelli, R., 335  
Tornatore, C., 1047  
Tran, Q.-H., 189  
Unno, Y., 917  
Valentino, G., 1047  
Velghe, A., 189  
Vera-Tudela, W., 485  
Vijay, G.A., 153  
Virtanen, R., 795  
Wang, C., 777, 857  
Wang, F., 375  
Wang J., 375  
Wang, T., 933  
Wang, W., 675  
Weigand, B., 837  
Wu, D., 675  
Wu, H., 857  
Xiao, S., 715  
Xie, M., 933  
Xie, X., 375  
Yamada, K., 917  
Yan, J., 675  
Yang, L.-J., 99  
Yang, R., 1013  
Ye, Q., 643  
Yoon, J., 1  
Yoon, Y., 1  
Zarzaliss, N., 1081  
Zhang, H., 255  
Zhang, J., 969  
Zhang, X., 375  
Zhang, Y., 737, 933  
Zhao, H., 737  
Zhao, L., 737  
Zhou, Z., 969

## SUBJECT INDEX – Volume 25

### *Atomization and Sprays*

#### PAGE RANGE OF ISSUES

**Issue 1: 1-98; Issue 2: 99-188; Issue 3: 189-284; Issue 4: 285-374;  
Issue 5: 375-452; Issue 6: 453-538; Issue 7: 539-642; Issue 8: 643-736;  
Issue 9: 737-836; Issue 10: 837-931; Issue 11: 933-1024; Issue 12: 1025-1125**

---

- abrasive water jet, 617  
air-assisted atomization, 553  
air-assisted spray gun, 643  
airblast, twin fluid, 657  
ambient pressure, 617  
annular injector, 1  
arbitrary Lagrange-Euler (ALE) formalism, 189  
assist-air, 895  
atomizer constant, 153  
axial tension, 99  
backlight imagining, 519  
biodiesel, 1107  
biofuel atomization, 553  
black liquor, 795  
Boger fluid, 695  
breakup, 47, 857  
breakup length, 153  
bubble growth modeling, 795  
casing, 617  
cavitation, 317, 453  
chemical vapor deposition, 23  
cleaning, 1013  
coherent structures (CS), 285  
column trajectory, 871  
combustion, 715, 1025, 1107  
common rail, 777  
compressible liquid, 47  
computational fluid dynamics (CFD), 285, 571, 715  
conversion efficiency, 895  
correlation, 871  
cross-flow, 81  
cryogenic fuels, 837  
cuttings, 1013  
deformation, 857  
Diesel engine, 715, 777  
diesel spray, 397, 425, 519, 587  
diffuse interface method, 47  
direct injection, 255  
direct-injection engines, 587  
direct injection spark ignition (DISI) 1047  
discharge coefficient, 153  
discrete droplet modeling (DDM), 335  
drop, 857  
drop interaction, 629  
drop spacing, 629  
droplet array, 917  
droplet combustion, 917  
droplet deposition, 643  
droplet size, 643  
droplet size distribution, 675  
early injection, 933  
electrohydrodynamics, 985  
emulsified fuel, 917  
emulsion, 675, 1025  
emulsion drop, 629  
ethyloleate, 777  
Eulerian-Eulerian model, 47  
Eulerian models, 189  
evaporation, 425  
evaporation flux, 737  
evaporation model, 485  
evaporating spray, 189, 539  
experiments, 617  
extinction, 425  
flame spread, 917  
flash boiling, 23  
flashing, 795  
flashing regime, 837  
flexible channel, 985  
fuel injector, 1063  
fuel spray, 81, 519  
fuel stratification, 255  
fugacity coefficient, 485  
fundamental spray characteristics, 519  
gas-centered liquid, 1  
gaseous crossflow, 871  
gasification, 1081  
gas liquid interface, 123  
gasoline and Diesel blends, 715  
gasoline direct injection, 819  
gasoline engine, 81  
gas-to-liquid (GTL), 1107  
gas turbine, 1025  
gelled propellant, 695  
heat transfer, 985  
high order moment methods, 189  
high pressure, 871, 1081  
high-pressure injection, 753  
high temperature, 871  
hydrodynamic stability, 123  
imaging technique, 753  
impinging jet injector, 695  
injection, 777, 969  
injection angle, 871  
injection rate, 1107  
injector nozzle flow, 453  
injector nozzle position, 335  
internal flow, 1063  
Jatropha pure plant oil, 553  
jet fuel, 777  
jet spreading angle, 969  
K-factor, 519  
KHRT breakup model, 335  
large eddy simulation (LES), 285  
laser Doppler anemometry (LDA), 1047  
light extinction, 397  
light scatter, 425  
limestone, 617  
linear instability analysis, 99  
liquid desiccant, 571  
liquid film, 933

- liquid fuel jet, 375  
liquid jet, 871  
liquid length, 397, 425, 485  
liquid sheet, 99, 123  
liquid sheet breakup, 695  
liquid sheet instability, 1  
liquid-vapor equilibrium, 485  
local structure, 397  
microexplosion, 629, 917  
microgravity, 917  
Mie scattering, 397  
mixture distribution, 255  
mixture model, 453  
model validation, 397  
momentum ratio, 1  
multi-hole nozzle, 375  
multimode 857  
multi-orifice injector, 375  
n-butanol, 1047  
near-critical, 969  
needle lift, 375  
noncondensable gas, 453  
nonreacting spray, 657  
nozzle cavitation, 1063  
nozzle geometry, 519  
numerical modeling, 795  
numerical solution, 123,  
    1013, 1063  
oil-in-water, 917  
OpenFOAM, 1063  
optical engine, 819  
paint spray, 539  
particle/droplet imaging  
    analysis (PDIA), 553  
particle image velocimetry  
    (PIV), 81, 1047  
penetration, 81  
Peng-Robinson EoS, 485  
peristaltic flow, 985  
phase doppler anemometer  
    (PDA), 539, 657, 1047,  
    1081  
polydispersity, 189  
precursor, 23  
premixed charge compres-  
    sion ignition (PCCI),  
    933  
primary breakup, 1081  
pulsed jet, 1013  
pumping phenomena, 985  
radiation attenuation, 737  
radiation characteristics, 737  
recess ratio, 1  
regeneration, 571  
RP-3 kerosene, 969  
Sauter mean diameter  
    (SMD), 153, 895, 1081  
selective catalytic reduction  
    (SCR), 895  
shadowgraphy, 1081  
simple injector, 969  
single-hole injector, 753  
soybean methyl ester, 1107  
spherical volume interaction  
    (SVI), 335  
splashed mass ratio model,  
    933  
spray characteristics, 553,  
    675, 753, 1107  
spray coating, 643  
spray cone angle, 153, 675  
spray development, 819  
spray-grid dependency, 335  
spray tip penetration, 675  
spray turbulence, 285  
spray/wall interaction, 933  
spray/wall interaction  
    model, 587  
steam injection, 1025  
stiffened gas EOS, 47  
stiffened gas equation, 317  
storables fuels, 837  
stratified charge compres-  
    sion ignition (SCCI), 255  
superheated sprays, 837  
swirl atomizer, 153  
thermal decomposition, 895  
trapping phenomena, 985  
turbulence, 47, 317  
twin fluid atomizer, 895,  
    1081  
two-fluid model, 47, 317  
two-phase flows, 795  
two-surface density, 47  
two-way coupling, 189  
viscoelastic fluids, 99, 123  
viscoelasticity, 695  
viscous liquid sheet, 985  
water-in-oil, 917  
water injection, 1025  
water sprays, 737  
X-ray phase-contrast  
    imaging, 375