

TSAGI SCIENCE JOURNAL

CONTENTS, VOLUME 48, 2017

Issue 1: 1-114; Issue 2: 115-212; Issue 3: 213-306; Issue 4: 307-398; Issue 5: 399-492; Issue 6: 493-596; Issue 7: 597-682; Issue 8: 683-789

Issue 1

The Investigation of the Preferable Interference of a Tractor and Pusher Propellers Mounted on the Wing Tips	1
<i>A.V. Kornushenko, O.V. Kudryavtsev, L.L. Teperin, L.N. Teperina, A.V. Shustov, F. Orfinejad, & Myo Thein</i>	
Numerical Investigations of the Effects of Shapes and Sizes of the Gap between the Lifting Surface and Control Surface with the Overhang Balance on Its Effectiveness and Hinge Moment	11
<i>V.V. Bogatyrev</i>	
Translational Nonequilibrium Thin Shock Layer on Simple Bodies	25
<i>A.L. Ankudinov</i>	
Application of Various Models of Turbulence for Calculation of Incompressible Internal Flows	31
<i>P.A. Baranov, S.V. Guvernyuk, M.A. Zubin, S.A. Isaev, & A.E. Usachov</i>	
Experimental Investigations of Wing Lift Control by Actuators Distributed on the Wing Surface	43
<i>A.G. Nalivaiko, A.Yu. Urusov, A.A. Uspenskii, M.V. Ustinov, & Ja.Sh. Flaxman</i>	
Nonequilibrium Aerosol Flow in a Supersonic Wind Tunnel	61
<i>I.A. Amelyushkin, Yu.Kh. Ganiev, O.A. Gobyzov, Yu.M. Lipnitskii, Yu.A. Lozhkin, & S.E. Filippov</i>	
Structural Design of Helicopter Wing based on Topology and Global-Local Optimization	81
<i>Yu.S. Alexandrin, S.A. Tuktarov, & V.V. Chedrik</i>	
Investigation of Single-Mode Flutter of Various Shape Plates at Low Supersonic Speeds	97
<i>F.A. Abdukhakimov & V.V. Vedeneev</i>	
Contribution of TsAGI to the Development of Electric Propulsion Engines for Aerospace Vehicles: To the 50th Anniversary of the National Program “Yantar”	111
<i>A.S. Filatov & V.V. Skvortsov</i>	

Issue 2

Effect of Vortex Breakdown on Lateral Aerodynamic Coefficients of a Maneuverable Aircraft Model	115
<i>K.A. Osipov</i>	
Investigation of Laminar–Turbulent Transition on the Wing Section at Various Reynolds Numbers	127
<i>V.V. Vozhdaev, P.P. Vorotnikov, A.F. Kiselev, L.L. Teperin,</i>	

& L.L. Chernyshev

Choice and Design of a 3D Fixed-Geometry Inlet for a Small Supersonic Business Aircraft <i>V.A. Vinogradov, Ya.A. Melnikov, & V.A. Stepanov</i>	141
Equivalent Method of Acoustic Certification of Aircraft Family with the Modified Power Plant <i>V.G. Dmitriev & V.F. Samokhin</i>	159
Application of Spectral Pyrometry in Aerodynamic Experiments to Measure Temperature of Surface and Flame <i>I.V. Senyuev</i>	173
Two Methods for Calibration of Strain-Gauge Balances using TsAGI Balance Calibration Machines <i>V.S. Volobuyev, A.R. Gorbushin, I.A. Sudakova, & V.I. Tikhomirov</i>	187
Rate of Fatigue Crack Growth in the Adhesive Bonded Joints under Combined Action of the Moment, Axial and Transverse Tear Forces <i>E.V. Stepnov</i>	199

Issue 3

About a Propeller behind the Airfoil Trailing Edge in Transonic Flow <i>S.G. Ignatiev, L.N. Teperina, & M. El-Salamony</i>	213
The High-Speed Flow Stability (HSFS) Software Package for Stability Analysis of Compressible Boundary Layers <i>A.O. Obraz & A.V. Fedorov</i>	223
Intact Flow over a Rotating Body with the Nose Part in the Form of the Riabouchinsky Half-Cavity <i>E.N. Kuznetsov, V.Yu. Lunin, A.V. Panyushkin, & I.L. Chernyshev</i>	243
Computational Investigation of the Influence of a Complex Spatial Configuration Inlet on the Performance Characteristics of an Aviation Gas-Turbine Engine with a High Bypass Ratio <i>S.E. Krasnov, O.P. Minin, D.A. Olishevskii, & S.G. Shevel'kov</i>	251
Experimental Investigation of a 3D Fixed-Geometry Inlet for a Supersonic Business Aircraft <i>V.A. Vinogradov, A.Yu. Makarov, N.A. Melkonyan, & V.A. Stepanov</i>	261
Experimental Studies of the Air Intake in a Free-Molecular Gas Flow <i>A.I. Erofeev, A.P. Nikiforov, & V.V. Plugin</i>	277
An Algorithmic Base for Analysis of Loading Conditions of Launch Vehicle Structure at Motion in Dense Atmosphere <i>V.A. Titov</i>	295

Issue 4

Froude Model of Ideal Propeller in Nonuniform Flow <i>L.L. Teperin, L.N. Teperina, F. Orfinejad, M. El-Salamony, & M. Thein</i>	307
Interaction of Mach Waves and Boundary Layer at a Supersonic Flow over a Plate with a Sharp Leading Edge <i>Q.H. Din, I.V. Egorov, & A.V. Fedorov</i>	317

Fluid Micropolarity Influence on Laminar Boundary Layer Separation	331
<i>F.A. Abramov, M.A. Brutyans, & V.E. Kovalev</i>	
Specific Features of Deceleration of a High-Velocity Flow in Convergent Fixed-Geometry Inlets	341
<i>V.A. Vinogradov, N.V. Guryleva, M.A. Ivan'kin, & V.A. Stepanov</i>	
Computational and Experimental Investigations of Flow Characteristics in a Curvilinear Inlet Channel	357
<i>D.V. Anokhin, E.S. Dyagileva, O.P. Minin, D.A. Olyshevskii, & S.G. Shevel'kov</i>	
Experimental Investigations of Wall Interference Effect on Model Test Results at TsAGI T-106 Wind Tunnel	363
<i>P.V. Savin</i>	
Determination of Residual Stresses and Stress Intensity Factors by Removing Local Material	377
<i>S.I. Eleonsky, I.N. Odintsev, V.S. Pisarev, & S.M. Usov</i>	

Issue 5

Using the Discontinuous Galerkin Method for Solving a System of Equations of the Dynamics of Water Droplets in an Air Flow	399
<i>A.V. Volkov & T.D. Duong</i>	
Numerical and Experimental Investigations of a Peniche Structure Influence on Aerodynamic Characteristics of Large-Scale Fuselage Half-Model	417
<i>A.A. Ptitsin</i>	
Conception of a Thrust Reversing-Vectoring Apparatus of Cascade Type with Nutating Vanes	425
<i>O.V. Egorov, E.V. Myshenkov, A.S. Polev, & E.Yu. Shelgunov</i>	
Improvement of Rolling Ability Efficiency of Maneuverable Fighters with Twin Vertical Tails at High Angles of Attack	441
<i>Yu.I. Arzhanov & S.A. Ivanov</i>	
Method for Analysis of Alternatives in Conceptual Design in Aeronautical Engineering	459
<i>E.B. Skvortsov & A.S. Shelekhova</i>	
Formation of Launch Vehicle Loading Regimes for Adaptation of Transportation to the "Vostochny" Cosmodrome	469
<i>V.A. Titov</i>	
Application of the Biorthogonalization Vectors Procedure to Applied Strength Problems	479
<i>J.F. Yaremchuk</i>	

Issue 6

On a Boundary Layer in a Separated Flow Region	493
<i>G.L. Korolev & Vic.V. Sychev</i>	
Self-Similar Solutions of the Jeffery-Hamel Type for Compressible Viscous Gas Flow	505
<i>M.A. Brutyans</i>	

Simulation of the Flow in Aircraft Complex Pneumatic Lines	515
<i>A.A. Efremov</i>	
Investigations of Volume-Centered Discharge in Air Supersonic Flow with Additional Propane and Oxygen Injection	535
<i>V.K. Alatortsev, S.I. Inshakov, I.S. Inshakov, A.F. Rozhkov, V.V. Skvortsov, A.Yu. Urusov, & A.A. Uspenskii</i>	
Comparison of Flight Path Optimization Problem Solutions by Direct and Indirect Methods for a Guided Aircraft Missile with a Rocket Engine	551
<i>S.A. Lyovin</i>	
Application of the Polynomial Ritz Method for Analyzing Dynamic Aeroelasticity Characteristics by Taking into Account Gyroscopic Forces	565
<i>F.Z. Ishmuratov, A.G. Kuznetsov, & V.A. Mosunov</i>	
Numerical Methods for Determining Torsional Stiffness of Prismatic Rods	579
<i>V.M. Uskov, A.V. Chedrik, & V.V. Chedrik</i>	

Issue 7

About Verification and Validation of Computational Methods and Codes on the Basis of Godunov Method	597
<i>S.M. Bosnyakov, A.R. Gorbushin, I.A. Kursakov, S.V. Matyash, S.V. Mikhailov, & V.Yu. Podaruev</i>	
Exact Solution to the Thermal Boundary Layer Equation for Cylinders in Fluids with Low Prandtl Numbers	617
<i>A.V. Kashevarov</i>	
Approbation of a Continuous Balance Testing Technique in the T-128 Transonic Wind Tunnel at Subsonic Velocities	627
<i>K.D. Bukharov, A.R. Gorbushin, Yu.V. Kartashev, V.V. Petronevich, I.A. Sudakova, & S.L. Chernyshev</i>	
Asymptotic Evaluations of Heat-Exchange Characteristics using Thin-Film Temperature Sensors	649
<i>E.P. Stolyarov</i>	
Laminated Composite Stiffness and Strength Estimation Method	661
<i>V.D. Vermel, A.I. Oleinikov, & L.L. Chernyshev</i>	
Shimmy Analysis of Light Airplane Main Landing Gear	665
<i>V.D. Chuban</i>	
The Solution to the Problem of Deflections of a Rectangular Thin Isotropic Plate with All Built-In Edges in the Equations for the Bending Moments	673
<i>J.F. Yaremchuk</i>	

Issue 8

New Type of Pulsed Thermal Actuator	683
<i>A.V. Voevodin, A.A. Korniyakov, A.S. Petrov, D.A. Petrov, & G.G. Soudakov</i>	
Control of Vortex Flow over a Maneuverable Aircraft Model using Nose Flaps at Large Angles of Attack	699
<i>K.A. Osipov</i>	

Mixing Layer Structure of a Jet in a Wind Tunnel with an Open Test Section	711
<i>N.I. Batura, V.V. Vozhdaev, G.G. Gadzhimagomedov, & I.I. Lipatov</i>	
Three-Dimensional Afterbody Drag with Nozzle Jet	723
<i>G.N. Lavrukhan & V.A. Talyzin</i>	
Noncontact Measurements of Wing Box Deformation during Strength Tests by Videogrammetry Method	751
<i>V.P. Kulesh, K.A. Kuruliuk, & M.A. Fedotov</i>	
Tasks of the Modal Test and Reproduction of Forces by Means of Electromechanical Simulation	761
<i>V.I. Smyslov</i>	
Beam Stiffness of a Composite Wing with Anisotropic Skin	773
<i>E.I. Kryuchkov</i>	

TSAGI SCIENCE JOURNAL

AUTHOR INDEX, VOLUME 48, 2017

Issue 1: 1-114; Issue 2: 115-212; Issue 3: 213-306; Issue 4: 307-398; Issue 5: 399-492; Issue 6: 493-596; Issue 7: 597-682; Issue 8: 683-789

Abdukhakimov, F.A., 97	Chedrik, V.V., 81, 579	Fedorov, A.V., 223, 317
Abramov, F.A., 331	Chernyshev, L.L.,	Fedotov, M.A., 751
Alatortsev, V.K., 535	127, 243, 661	Filatyev, A.S., 111
Alexandrin, Yu.S., 81	Chernyshev, S.L., 627	Filippov, S.E., 61
Amelyushkin, I.A., 61	Chuban, V.D., 665	Flaxman, Ja. Sh., 43
Ankudinov, A.L., 25	Din, Q.H., 317	Gadzhimagomedov, G.G., 711
Anokhin, D.V., 357	Dmitriev, V.G., 159	Ganiev, Yu.Kh., 61
Arzhanov, Yu.I., 441	Duong, T.D., 399	Gobyzov, O.A., 61
Baranov, P.A., 31	Dyagileva, E.S., 357	Gorbushin, A.R., 187, 597, 627
Batura, N.I., 711	Efremov, A.A., 515	Guryleva, N.V., 341
Bogatyrev, V.V., 11	Egorov, I.V., 317	Guvernyuk, S.V., 31
Bosnyakov, S.M., 597	Egorov, O.V., 425	Ignatiev, S.G., 213
Brutyan, M.A., 331, 505	Eleonsky, S.I., 377	Inshakov, I.S., 535
Bukharov, K.D., 627	El-Salamony, M., 213, 307	Inshakov, S.I., 535
Chedrik, A.V., 579	Erofeev, A.I., 277	Isaev, S.A., 31

- Ishmuratov, F.Z., 565
Ivan'kin, M.A., 341
Ivanov, S.A., 441
Kartashev, Yu. V.,
627
Kashevarov, A.V.,
617
Kiselev, A.F., 127
Kornushenko, A.V., 1
Kornyakov, A.A., 683
Korolev, G.L., 493
Kovalev, V.E., 331
Krasnov, S.E., 251
Kryuchkov, E.I., 773
Kudryavtsev, O.V., 1
Kulesh, V.P., 751
Kursakov, I.A., 597
Kuruliuk, K.A., 751
Kuznetsov, A.G., 565
Kuznetsov, E.N., 243
Lavrukhin, G.N., 723
Lipatov, I.I., 711
Lipnitskii, Yu.M., 61
Lozhkin, Yu.A., 61
Lunin, V.Yu., 243
Lyovin, S.A., 551
Makarov, A.Yu., 261
Matyash, S.V., 597
Melkonyan, N.A., 261
Melnikov, Ya.A., 141
Mikhailov, S.V., 597
Minin, O.P., 251, 357
Mosunov, V.A., 565
Myshenkov, E.V., 425
Nalivaiko, A.G., 43
Nikiforov, A.P., 277
Obraz, A.O., 223
Odintsev, I.N., 377
Oleinikov, A.I., 661
Olishevskii, D.A.,
251, 357
Orfinejad, F., 1
Orfinejad, F., 307
Osipov, K.A., 115
Osipov, K.A., 699
Panyushkin, A.V., 243
Petronevich, V.V.,
627
Petrov, A.S., 683
Petrov, D.A., 683
Pisarev, V.S., 377
Plugin, V.V., 277
Podaruev, V. Yu., 597
Polev, A.S., 425
Ptitsin, A.A., 417
Rozhkov, A.F., 535
Samokhin, V.F., 159
Savin, P.V., 363
Senyuev, I.V., 173
Shelekhova, A.S., 459
Shelgunov, E.Yu., 425
Shevel'kov, S.G., 251,
357
Shustov, A.V., 1
Skvortsov, E.B., 459
Skvortsov, V.V., 111
Skvortsov, V.V., 535
Smyslov, V.I., 761
Soudakov, G.G., 683
Stepanov, V.A., 141,
261, 341
Stepnov, E.V., 199
Stolyarov, E.P., 649
Sudakova, I.A., 187,
627
Sychev, Vic.V., 493
Talyzin, V.A., 723
Teperin, L.L., 1, 127,
307
Teperina, L.N., 1
Teperina, L.N., 213 ,
307
Thein, M., 1, 307
Tikhomirov, V.I., 187
Titov, V.A., 295, 469
Tuktarov, S.A., 81
Urusov, A. Yu., 43,
535
Usachov, A.E., 31
Uskov, V.M., 579
Usov, S.M., 377
Uspenskii, A.A., 43,
535
Ustinov, M.V., 43
Vedeneev, V.V., 97
Vermel, V.D., 661
Vinogradov, V.A.,
141, 261, 341
Voevodin, A.V., 683

Volobuyev, V.S., 187	Vozhdaev, V.V., 127,	Yaremchuk, J.F., 479,
Vorotnikov, P.P., 127	711	673
	Wolkov, A.V., 399	Zubin, M.A., 31

TSAGI SCIENCE JOURNAL

SUBJECT INDEX, VOLUME 48, 2017

Issue 1: 1-114; Issue 2: 115-212; Issue 3: 213-306; Issue 4: 307-398; Issue 5: 399-492; Issue 6: 493-596; Issue 7: 597-682; Issue 8: 683-789

- | | | |
|---|---|--|
| <p>(SIF), 377
accuracy order, 597
actuator, 683
adhesive bonded joints, 199
adjoint spaces, 479
aerodynamic airfoil, 331
aerodynamic characteristics, 43
aerodynamic coefficients, 699
aerodynamic performance, 363
aerodynamic test, 417
aeroelasticity, 81, 565
AERONOISE software package, 159
aeroservoelasticity, 565
afterbody, 723
air intake, 277
aircraft landing gear, 665
aircraft noise certification, 159
aircraft noise, 159
aircraft wing, 773
airfoil, 213
asymmetry, 115, 699
asymptotic solution, 649
axial shear load, 199
axisymmetric and flat nozzles, 723
balance calibration machine, 187
balance matrix, 187
beam stiffnesses, 773</p> | <p>bending moments, 673
bending, 673
biorthogonal basis, 223
biorthogonal vectors, 479
boundary layer separation, 331
boundary layer, 223, 243, 493
brightness temperature, 173
buckling, 81
Burnett approximation, 25
calculation, 683
capture coefficient, 399
characteristic ambient temperature, 649
characteristics of a turbofan engine, 251
characteristics, 115
comparison with the experiment, 31
composite anisotropic structure, 773
computational fluid dynamics methods, 115
computational fluid dynamics, 127
computational fluid dynamics, 711
conceptual design, 459
continuous test mode, 627
control surface, 11
convergence in vibration modes, 295
convergence, 597</p> | <p>convergent fixed-geometry three-dimensional (3D) inlet, 341
crack compliance method, 377
criterion X^2, 441
cyclic loading, 469
cylinder, 617
deflection function, 673
deformations fields, 751
delamination, 199
dense atmosphere, 295
dielectric barrier discharge, 43
differential turbulence models, 31
diffuse reflection, 277
direct collocation, 551
direct method, 551
direct numerical simulation, 223
discontinuous Galerkin method, 399
discrete programming, 459
double cantilever beam (DCB) specimen, 199
dynamic model, 295
dynamic performance, 515
effectiveness, 11
ejector, 683
electromechanical simulation, 761</p> |
|---|---|--|

electronic speckle-pattern interferometry, 377
emissivity, 173
 e^N -method, 223
equilibrium equations, 673
equivalent aircraft
 acoustic certification
Euler approach, 399
exact solution, 617
exact solutions, 505
experiment planning, 459
experiment, 683
experimental data
 accuracy, 597
 external drag, 723
fatigue crack growth, 199
finite-element method,
 399
finite-element model, 81
finite-volume method, 399
flame temperature, 173
flight path optimization,
 551
flow pattern, 535
flow separation, 43
flows, 723
flutter, 565
flying wing, 251, 357
fracture mechanics, 199
free streamlines, 493
free-molecular flow, 277
Froude model, 213
Froude model, 307
fuselage-wing
 configuration, 597
Galerkin–Petrov
 technique, 479
global– local approach, 81
graph, 515
gyroscopic forces, 565
half-model, 417
heat exchange, 649
hierarchical game, 459
high angle of attack, 441
high angles of attack, 115
hinge moment, 11
hole-drilling method, 377
hydrodynamic drag, 515
hypersonic flow, 25, 223,
 649
ideal propeller, 307
image processing, 61
impulse response function,
 649
indirect method, 551
inlet characteristics, 141
inlet, 251, 357
instability, 665
integrated arrangement,
 251, 357
interference, 723
inverse problems, 61
jet, 723
kinematic impact, 469
Lagrange approach, 399
laminar–turbulent
 transition, 127, 223
laminated composites, 661
Laplace equation, 579
large angles of attack, 699
lateral aerodynamic
 launch vehicle, 295, 469
linear theory of stability,
 223
liquid water content
 equation, 399
loading condition analysis,
 295
loading regimes, 469
loss of stability, 115, 699
low Prandtl number, 617
low-turbulence wind
 tunnel, 127
Mach number control, 627
Mach waves, 317
maneuverable aircraft
 model, 115
marginal separation, 493
mass flow disturbances,
 317
mathematical model, 683
matrix calculations, 295
matrix decomposition, 479
method, 159
methodical basics, 295
 software, 295
micropolar fluid, 331
mixing layer, 711
modal experiment, 761
model of maneuverable
 aircraft, 699
model scale effect, 363
Monte Carlo method, 277
multiple shooting, 551
Navier–Stokes equations,
 115, 417, 505, 515, 699
Navier–Stokes thin shock
 layer, 25
near-sonic flow, 243
noncontact measurements,
 751
nonintrusive optical
 diagnostics, 61
nonuniform flow, 307
normative levels, 469
nose flaps, 699
numerical method, 597
numerical methods, 579,
 699
numerical modeling, 317
numerical simulation, 31,
 515
numerical studies, 579
numerical–experimental
 investigation at high
 supersonic velocities,
 341
overhang balance, 11
panel flutter, 97
particle image
 velocimetry, 711
peniche, 417
plasma, 683
plate flutter, 97
pneumatic line, 515
Poisson equation, 579
pole, 665
polynomial method, 551
polynomial Ritz method,
 565
preferable interference, 1
prelaunch simulation, 295
propane and oxygen
 injection through
 anode, 535
propeller, 213
propulsion engine, 111
pulse, 683

quasi-static components, 295
quasi-steady wake, 317
railroad transportation, 469
reproduction of forces, 761
residual stress, 377
reversing apparatus, 425
reversing–vectoring apparatus (RVA), 425
Riabouchinsky half-cavity, 243
ribbed front part, 699
Richardson’s extrapolation, 597
rolling ability, 441
rolling, 665
rotating body, 243
running-up and drop-off roll rate, 441
Saint-Venant problem, 579
scalar product, 479
sequential failure of layers, 661
shimmy, 665
single-mode flutter, 97
slip angle, 115
software, 469
spectral temperature, 173
spectroscopic studies, 535
stiffness, 661
strain-gauge balance, 187
strength tests, 751
strength, 81, 661
stress intensity factor
stress sign, 661
structural failure, 751
structural layout, 81
sub- and transonic supersonic business aircraft, 141
supersonic business aircraft, 261
supersonic flow, 317, 353
supplied power, 307
sweep angle, 699
swept wing, 127
swirl flow, 1

synthetic jets, 43
tasks, 761
tear moment, 199
thermal boundary layer, 617
thin plate, 673
thin shock layer, 25
three-dimensional (3D) fixed-geometry inlet, 261
three-dimensional (3D) inlet, 141
throttle performance, 341
throttling characteristics of the inlet and boundary layer control, 261
thrust losses, 425
thrust vectoring (TV), 425
tip section of the leading-edge flap, 441
topology optimization, 81
torsional stiffness, 579
transient process, 649
translational nonequilibrium, 25
transonic flow, 213
transonic wind tunnel, 627
transverse tear load, 199
TsAGI, 111
tunnel wall effect, 363
turbulence model, 127
turbulence model, 711
turning angle, 425
two-phase flow velocity nonequilibrium, 61
validation, 597
vibration strength, 469
vibrations, 665
videogrammetry, 751
viscous gas flow, 505
viscous wake, 213
volume-centered discharge, 535
vortex breakdown, 115
vortex breakdown, 699
vortices, 115, 699
wedge (cone), 25
welded joints, 377
wind tunnel (WT), 173
wind tunnel with an open test section, 711