

# TABLE OF CONTENTS FOR VOLUME 23

## ATOMIZATION AND SPRAYS

### PAGE RANGE OF ISSUES

Issue 1, 1-95; Issue 2, 97-191; Issue 3, 193-278 ; Issue 4, 279-377;  
Issue 5, 379-474; Issue 6, 475-565; Issue 7, 567-662; Issue 8, 663-761;  
Issue 9, 763-860; Issue 10, 861-955; Issue 11, 957-1078; Issue 12, 1079-1195

---

## Number 1

---

<b>Effervescent Atomization of Polyvinylpyrrolidone Solutions: Influence of Liquid Properties and Atomizer Geometry on Liquid Breakup and Spray Characteristics</b>	<b>1</b>
<i>J. Schröder, A. Günther, K.-E. Wirth, H. P. Schuchmann, &amp; V. Gaukel</i>	
<b>Simulation of Electrostatic Rotary Bell Spray Painting in Automotive Paint Shops</b>	<b>25</b>
<i>A. Mark, B. Andersson, S. Tafuri, K. Engström, H. Söröd, F. Edelvik, &amp; J. S. Carlson</i>	
<b>A Combined Fully Lagrangian Approach to Mesh-Free Modelling of Transient Two-Phase Flows</b>	<b>47</b>
<i>N. A. Lebedeva, A. N. Osiptsov, &amp; S. S. Sazhin</i>	
<b>Diesel Spray CFD Simulations Based on the Σ-Y Eulerian Atomization Model</b>	<b>71</b>
<i>J. M. García-Oliver, J. M. Pastor, A. Pandal, N. Trask, E. Baldwin, &amp; D.P. Schmidt</i>	

---

## Number 2

---

<b>Numerical Analysis of the Influence of Diesel Nozzle Design on Internal Flow Characteristics for 2-Valve Diesel Engine Application</b>	<b>97</b>
<i>J. De la Morena, K. Neroorkar, A. H. Plazas, R. C. Peterson, &amp; D.P. Schmidt</i>	
<b>Flow-Field Investigation of Multi-hole Superheated Sprays Using High-Speed PIV. Part II. Axial Direction</b>	<b>119</b>
<i>M. Zhang, M. Xu, Y. Zhang, G. Zhang, &amp; D. J. Cleary</i>	
<b>Spray Vaporization and Ignition Characteristics in Dual-Component Mixed Fuels</b>	<b>141</b>
<i>C.-E. Lee, S. Lee, M. Okada, M. Matsumoto, Y. Kobashi, &amp; J. Senda</i>	
<b>Electrohydrodynamic Instability of Liquid Sheet Saturating Porous Medium with Interfacial Surface Charges</b>	<b>165</b>
<i>M. F. El-Sayed, M. H. M. Moussa, A. A. A. Hassan, &amp; N. M. Hafez</i>	

---

## Number 3

---

<b>Effects of Nozzle Exit Geometry on Spray Characteristics of a Blurry Injector</b>	<b>193</b>
<i>C. G. Azevedo, J. C. de Andrade, &amp; F. de Souza Costa</i>	
<b>Experimental Investigations on Adhered Fuel and Impinging Diesel Spray Normal to a Wall</b>	<b>211</b>
<i>M. Z. Akop, Y. Zama, T. Furuhata, &amp; M. Arai</i>	
<b>Non-Newtonian Leidenfrost Drops</b>	<b>233</b>
<i>K. Black &amp; V. Bertola</i>	
<b>Effect of Impacting Distance and Confining Pressure on Cavitation Bubble Collapse Characteristics</b>	<b>249</b>
<i>H. Liao, R. Chen, L. Wang, &amp; L. Zhu</i>	
<b>Macroscopic Characterization of Flash-Boiling Multihole Sprays using Planar Laser-Induced Exciplex Fluorescence. Part II: Cross-Sectional Spray Structure</b>	<b>265</b>
<i>G. Zhang, M. Xu, Y. Zhang, M. Zhang, &amp; D. J. Cleary</i>	

---

## Number 4

---

<b>Experimental Study on the Merged Angle by Spray Interaction from Pressure-Swirl Atomizers</b>	<b>279</b>
<i>Y. Yi, M. Hong, &amp; S. Y. Lee</i>	
<b>Large Eddy Simulation of High Gas Density Effects in Fuel Sprays</b>	<b>297</b>
<i>O. Kaario, V. Vuorinen, T. Hulkkonen, K. Keskinen, M. Nuutinen, M. Larmi, &amp; F. X. Tanner</i>	
<b>Effect of Air Injection Configuration on the Atomization of Gelled Jet A1 Fuel in an Air-Assist Internally Mixed Atomizer</b>	<b>327</b>
<i>M. B. Padwal &amp; D. P. Mishra</i>	
<b>Three-Dimensional Investigations of Flow Characteristics in a Diesel Nozzle</b>	<b>343</b>
<i>W. Huang, Y. Gao, Z. Li, L. Li, Z. Liu, &amp; Z. Wu</i>	
<b>Comparisons of Spraying Structure and Rock Breakage Characteristics of Round Straight, Swirling, and Straight-Swirling Integrated Jets</b>	<b>363</b>
<i>H. Liao, D. Wu, L. Wang, &amp; L. Zhu</i>	

---

## Number 5

---

<b>An Experiment Study on Phenomenon and Mechanism of Flash Boiling Spray from a Multi-Hole Gasoline Direct Injector</b>	<b>379</b>
<i>S. Yang, Z. Song, T. Wang, &amp; Z. Yao</i>	
<b>Effect of Confinement and Prefilming on the Stability of an Annular Liquid Sheet</b>	<b>401</b>
<i>S. Chatterjee, S. Samanta, A. Mukhopadhyay, &amp; S. Sen</i>	

<b>Large Eddy Simulation of High-Velocity Fuel Sprays: Studying Mesh Resolution and Breakup Model Effects for Spray A</b>	<b>419</b>
<i>A. Wehrfritz, V. Vuorinen, O. Kaario, &amp; M. Larmi</i>	
<b>Study on Mixing Process of Diesel Spray under High Ambient Gas Density Condition</b>	<b>443</b>
<i>Y. Zama, W. Ochiai, K. Sugawara, T. Furuhata, &amp; M. Arai</i>	
<b>Pressure Boosting Effect in Perforation Cavity during Supercritical Carbon Dioxide Jet Fracturing</b>	<b>463</b>
<i>Y. Cheng, G. Li, H. Wang, Z. Shen, S. Tian, &amp; X. Fan</i>	

---

## Number 6

---

<b>Special Issue: Cavitation Bubbles, Droplets and Jets</b>	
<b>Preface</b>	<b>vii</b>
<i>G. Aguilar</i>	
<b>High Resolution Optical Experimental Technique for Computing Pulsed Laser-Induced Cavitation Bubble Dynamics in a Single Shot</b>	<b>475</b>
<i>L. F. Devia-Cruz, F. G. Pérez-Gutiérrez, D. García-Casillas, G. Aguilar, S. Camacho-López, &amp; D. Banks</i>	
<b>Breaking the Rayleigh-Plateau Instability Limit Using Thermocavitation within a Droplet</b>	<b>487</b>
<i>J. P. Padilla-Martinez, J. C. Ramirez-San-Juan, N. Korneev, D. Banks, G. Aguilar, &amp; R. Ramos-Garcia</i>	
<b>Application of Population Balance Model to Combined Atomization and Evaporation Processes in Dense Sprays</b>	<b>505</b>
<i>N. P. Rayapati, M. V. Panchagnula, &amp; J. Peddieson</i>	
<b>Effects of Drop and Film Viscosity on Drop Impacts onto Thin Films</b>	<b>525</b>
<i>D. Banks, C. Ajawara, R. Sanchez, H. Surti, &amp; G. Aguilar</i>	
<b>Future, Opportunities and Challenges of Inkjet Technologies</b>	<b>541</b>
<i>J. R. Castrejón-Pita, W. R. S. Baxter, J. Morgan, S. Temple, G. D. Martin, &amp; I. M. Hutchings</i>	

---

## Number 7

---

<b>Static and Dynamic Drop Formation on Downward-Facing Nozzles</b>	<b>567</b>
<i>M. Etzold, F. Durst, Ü. Acikel, R. Gautam, &amp; M. Zeilmann</i>	
<b>Experimental Investigation of Dynamics and Atomization of a Liquid Film Flowing over a Spinning Disk</b>	<b>589</b>
<i>M. Freystein, T. Borsdorf, T. Gambaryan-Roisman, &amp; P. Stephan</i>	
<b>Experimental Study on Transcritical Spray of Liquid Aviation Kerosene</b>	<b>605</b>
<i>H. Song, W. Fan, Z. Fan, &amp; L. Jin</i>	

- Analyzing the Cycle-to-Cycle Variations of Pulsing Spray Characteristics by Means of the Proper Orthogonal Decomposition** 623  
*H. Chen, D. L. S. Hung, M. Xu, & J. Zhong*

- Experimental Investigation of the Atomization Characteristics of Anticorrosion Wax** 643  
*S. Lee & S. Park*

---

## Number 8

---

- Area Void Fraction Associated with Twin-Fluid Atomizer** 663  
*V. Sivadas, K. Balaji, I. K. Raj, E. Vignesh, & R. Aravind*
- Injection and Spray Characteristics of Blends of Diesel from Direct Coal Liquefaction and Petrodiesel** 677  
*J. Bai, X. Qiao, Z. Wang, J. Zhuang, & Z. Huang*
- Comparison and Cross-Validation of Optical Techniques in Different Swirl Spray Regimes** 697  
*J. Lee, S. Basu, & R. Kumar*
- Characteristics of Adhesion of Diesel Fuel on Impingement Disk Wall. Part 1: Effect of Impingement Area and Inclination Angle of Disk** 725  
*M. Z. Akop, Y. Zama, T. Furuhata, & M. Arai*
- Effect of Fuel Droplet Size and Injection Temperature on the Performance of Kerosene-Oxygen Pulse Detonation Rocket Engine** 745  
*L. Jin, W. Fan, Z. Fan, & H. Song*

---

## Number 9

---

- Onset of Atomization on Horizontal, Shear-Driven Liquid Films at the Vicinity of a Sharp Corner** 763  
*E. Bacharoudis, H. Bratec, L. Keirnsbulck, J.-M. Buchlin, & L. Labraga*
- A Parametric Study of a Flash Atomized Water Jet Using a Phase Doppler Particle Analyzer** 799  
*K. M. Breton, B. A. Fleck, & D. S. Nobes*
- Impingement Flux Uniformity in Nozzle Spraying for Industrial Applications** 819  
*A. A. Tseng, M. Raudensky, & B. Li*
- X-Ray Radiography Measurements of Cavitating Nozzle Flow** 841  
*D. J. Duke, A. L. Kastengren, F. Z. Tilocco, A. B. Swantek, & Ch. F. Powell*

---

## Number 10

---

- Modelling of Primary Breakup Process of a Gasoline Direct Engine Multi-Hole Spray** 861  
*S. Malaguti, S. Fontanesi, G. Cantore, A. Montanaro, & L. Allocca*

<b>Nonlinear Stability Analysis of Viscoelastic Falling Fluid Film with Countercurrent Gas Flow</b>	<b>889</b>
<i>M. F. El-Sayed, M. H. M. Moussa, A. A. A. Hassan, &amp; N. M. Hafez</i>	
<b>Large Eddy Simulation of Fuel-Spray under Non-Reacting IC Engine Conditions</b>	<b>925</b>
<i>Q. Xue, S. Som, P. K. Senecal, &amp; E. Pomraning</i>	

---

## Number 11

---

<b>Preface</b>	<b>vii</b>
<i>M. Herrmann</i>	
<b>Toward Using Direct Numerical Simulation to Improve Primary Break-Up Modeling</b>	<b>957</b>
<i>F. X. Demoulin, J. Reveillon, B. Duret, Z. Bouali, P. Desjonquieres, &amp; T. Menard</i>	
<b>An Investigation on the Breakup of Underwater Buoyant Oil Jets: Computational Simulations and Experiments</b>	<b>981</b>
<i>L. R. Berard, M. Raessi, M. T. Bauer, P. D. Friedman, &amp; S. R. Codyer</i>	
<b>Direct Numerical and Large-Eddy Simulation of Primary Atomization in Complex Geometries</b>	<b>1001</b>
<i>O. Desjardins, J. O. McCaslin, M. Owkes, &amp; P. Brady</i>	
<b>High-Fidelity Simulation of Fuel Atomization in a Realistic Swirling Flow Injector</b>	<b>1049</b>
<i>X. Li &amp; M. C. Soteriou</i>	

---

## Number 12

---

<b>Preface</b>	<b>vii</b>
<i>M. Herrmann</i>	
<b>High-Fidelity Simulations of Impinging Jet Atomization</b>	<b>1079</b>
<i>X. Chen, D. Ma, V. Yang, &amp; S. Popinet</i>	
<b>Numerical Simulation of Primary Atomization: Interaction with Experimental Analysis</b>	<b>1103</b>
<i>A. Berlemont, J. B. Blaisot, Z. Bouali, J. Cousin, P. Desjonquieres, M. Doring, C. Dumouchel, S. Idlahcen, N. Leboucher, K. Lounnaci, T. Ménard, C. Rozé, D. Sedarsky, &amp; G. Vaudor</i>	
<b>A Conservative Framework for Primary Atomization Computation and Application to the Study of Nozzle and Density Ratio Effects</b>	<b>1139</b>
<i>V. Le Chenadec &amp; H. Pitsch</i>	
<b>Computational Study of Fluid Property Effects on the Capillary Breakup of a Ligament</b>	<b>1167</b>
<i>S. S. Deshpande, M. F. Trujillo, &amp; S. Kim</i>	
<b>Index to Volume 23</b>	<b>1197</b>

## AUTHOR INDEX – Volume 23

### *Atomization and Sprays*

#### Page Numbers for Issues:

**Issue 1, 1-95; Issue 2, 97-191; Issue 3, 193-278 ; Issue 4, 279-377;  
Issue 5, 379-474; Issue 6, 475-565; Issue 7, 567-662; Issue 8, 663-761;  
Issue 9, 763-860; Issue 10, 861-955; Issue 11, 957-1078; Issue 12, 1079-1195**

- |                               |                                |                       |
|-------------------------------|--------------------------------|-----------------------|
| Acikel, Ü., 567               | Cleary, D.J., 119, 265         | Hong, M., 279         |
| Aguilar, G., 475, 487,<br>525 | Codyer, S.R., 981              | Huang, W., 343        |
| Ajawara, C., 525              | Cousin, J., 1103               | Huang, Z., 677        |
| Akop, M.Z., 211, 725          | de Andrade, J.C., 193          | Hulkkonen, T., 297    |
| Allocata, L., 861             | De la Morena, J., 97           | Hung, D.L.S., 623     |
| Andersson, B., 25             | Demoulin, F.X., 957            | Hutchings, I.M., 541  |
| Arai, M., 211, 443, 725       | Deshpande, S.S., 1167          | Idlahcen, S., 1103    |
| Aravind, R., 663              | Desjardins, O., 1001           | Jin, L., 605, 745     |
| Azevedo, C.G., 193            | Desjonquieres, P., 957, 1103   | Kaario, O., 297, 419  |
| Bacharoudis, E., 763          | de Souza Costa, F., 193        | Kastengren, A.L., 841 |
| Bai, J., 677                  | Devia-Cruz, L.F., 475          | Keirsbulck, L., 763   |
| Balaji, K., 663               | Doring, M., 1103               | Keskinen, K., 297     |
| Baldwin, E., 71               | Duke, D.J., 841                | Kim, S., 1167         |
| Banks, D., 475, 487, 525      | Dumouchel, C., 1103            | Kobashi, Y., 141      |
| Basu, S., 697                 | Duret, B., 957                 | Korneev, N., 487      |
| Bauer, M.T., 981              | Durst, F., 567                 | Kumar, R., 697        |
| Baxter, W.R.S., 541           | Edelvik, F., 25                | Labraga, L., 763      |
| Berard, L.R., 981             | El-Sayed, M.F., 165, 889       | Larmi, M., 297, 419   |
| Black, K., 233                | Engström, K., 25               | Lebedeva, N.A., 47    |
| Berlemont, A., 1103           | Etzold, M., 567                | Leboucher, N., 1103   |
| Bertola, V., 233              | Fan, W., 605, 745              | Lee, C.-E., 141       |
| Blaisot, J.B., 1103           | Fan, X., 463                   | Lee, J., 697          |
| Borsdorf, T., 589             | Fan, Z., 605, 745              | Lee, S., 141, 643     |
| Bouali, Z., 957, 1103         | Fleck, B.A., 799               | Lee, S.Y., 279        |
| Brady, P., 1001               | Fontanesi, S., 861             | Li, B., 819           |
| Bratec, H., 763               | Freystein, M., 589             | Li, G., 463           |
| Breton, K.M., 799             | Friedman, P.D., 981            | Li, L., 343           |
| Buchlin, J.-M., 763           | Furuhata, T., 211, 443,<br>725 | Li, X., 1049          |
| Camacho-López, S., 475        | Gambaryan-Roisman,<br>T., 589  | Li, Z., 343           |
| Cantore, G., 861              | Gao, Y., 343                   | Liao, H., 249, 363    |
| Carlson, J.S., 25             | García-Casillas, D., 475       | Liu, Z., 343          |
| Castrejón-Pita, J.R., 541     | García-Oliver, J.M., 71        | Lounnaci, K., 1103    |
| Chatterjee, S., 401           | Gaukel, V., 1                  | Ma, D., 1079          |
| Chen, H., 623                 | Gautam, R., 567                | Malaguti, S., 861     |
| Chen, R., 249                 | Günther, A., 1                 | Mark, A., 25          |
| Chen, X., 1079                | Hafez, N.M., 165, 889          | Martin, G.D., 541     |
| Chenadec, V.Le., 1139         | Hassan, A.A.A., 165, 889       | Matsumoto, M., 141    |
| Cheng, Y., 463                |                                | McCaslin, J.O., 1001  |
|                               |                                | Ménard, T., 957, 1103 |

- Mishra, D.P., 327  
Montanaro, A., 861  
Morgan, J., 541  
Moussa, M.H.M., 165,  
  889  
Mukhopadhyay, A., 401  
Neroorkar, K. 97  
Nobes, D.S., 799  
Nuutinen, M., 297  
Ochiai, W., 443  
Okada, M., 141  
Osipov, A.N., 47  
Owkes, M., 1001  
Padilla-Martinez, J.P.,  
  487  
Padwal, M.B., 327  
Panchagnula, M.V., 505  
Pandal, A., 71  
Park, S., 643  
Pastor, J.M., 71  
Peddieson, J., 505  
Pérez-Gutiérrez, F.G.,  
  475  
Peterson, R.C., 97  
Pitsch, H., 1139  
Plazas, A.H., 97  
Pomraning, E., 925  
Popinet, S., 1079  
Powell, Ch.F., 841  
Qiao, X., 677  
Raessi, M., 981  
Raj, I.K., 663  
Ramirez-San-Juan, J.C.,  
  487  
Ramos-Garcia, R., 487  
Raudensky, M., 819  
Rayapati, N.P., 505  
Reveillon, J., 957  
Rozé, C., 1103  
Samanta, S., 401  
Sanchez, R., 525  
Sazhin, S.S., 47  
Schmidt, D.P., 71, 97  
Schröder, J., 1  
Schuchmann, H.P., 1  
Sedarsky, D., 1103  
Senda, J., 141  
Sen, S., 401  
Senecal, P.K., 925  
Shen, Z., 463  
Sivadas, V., 663  
Som, S., 925  
Song, H., 605, 745  
Song, Z., 379  
Söröd, H., 25  
Soteriou, M.C., 1049  
Stephan, P., 589  
Sugawara, K., 443  
Surti, H., 525  
Swantek, A.B., 841  
Tafuri, S., 25  
Tanner, F.X., 297  
Temple, S., 541  
Tian, S., 463  
Tilocco, F.Z., 841  
Trask, N., 71  
Trujillo, M.F., 1167  
Tseng, A.A., 819  
Vaudor, G., 1103  
Vignesh, E., 663  
Vuorinen, V., 297, 419  
Wang, H., 463  
Wang, L., 249, 363  
Wang, T., 379  
Wang, Z., 677  
Wehrfritz, A., 419  
Wirth, K.-E., 1  
Wu, D., 363  
Wu, Z., 343  
Xu, M., 119, 265, 623  
Xue, Q., 925  
Yang, S., 379  
Yang, V., 1079  
Yao, Z., 379  
Yi, Y., 279  
Zama, Y., 211, 443, 725  
Zhang, G., 119, 265  
Zhang, M., 119, 265  
Zhang, Y., 119, 265  
Zhong, J., 623  
Zhu, L., 249, 363  
Zhuang, J., 677  
Zeilmann, M., 567

## SUBJECT INDEX – Volume 23

### *Atomization and Sprays*

#### Page Numbers for Issues:

**Issue 1, 1-95; Issue 2, 97-191; Issue 3, 193-278 ; Issue 4, 279-377;  
Issue 5, 379-474; Issue 6, 475-565; Issue 7, 567-662; Issue 8, 663-761;  
Issue 9, 763-860; Issue 10, 861-955; Issue 11, 957-1078; Issue 12, 1079-1195**

- adhered fuel, 725
- adhering fuel mass, 211
- alternative fuels, 1167
- ambient gas density, 443
- AMR, 1049
- anticorrosion wax, 643
- atomization, 119, 745, 957, 1103
- atomization characteristics, 643
- aviation kerosene, 605
- blurry injector, 193
- boiling temperature, 141
- boost pressure, 463
- breakup, 1
- breakup length, 605, 663
- carbon dioxide, 463
- cavitation, 97, 475, 487, 841, 861
- cavitation bubble, 249
- CFD, 71, 925
- coal liquefaction, 677
- confining pressure, 249
- confinement, 401
- conservation, 1139
- conservative level set, 1001
- continuous jet, 541
- critical conditions, 763
- cycle-to-cycle variation, 623
- diesel, 97, 677
- diesel injector, 799
- diesel nozzle, 343
- diesel spray, 141, 211, 443, 725
- dilute polymer solutions, 233
- direct injection, 265, 379
- direct numerical simulation, 957, 1001
- DNS, 1049, 1139
- drop formation, 567
- droplet, 541
- droplet breakup, 419
- droplet distribution, 697
- drop impact, 233
- drop on demand, 541
- effervescent atomization, 1
- electrohydrodynamics, 165
- embedded boundary, 1049
- equivalence ratio, 443
- Eulerian, Diesel, 71
- evaporation, 71, 505
- film characteristics, 763
- film flow, 589
- flash boiling, 119, 265, 379
- flow rate density, 819
- fracturing, 463
- fuel distribution, 265
- fuel injector, 97
- fuel spray, 297, 419
- full-cone nozzle, 819
- gas density, 297
- gas flow, 889
- gas mixing, 297
- gasoline direct injection (GDI), 861
- gas-to-liquid mass ratio (GLR), 327
- Gaussian function, 819
- gelled fuel, 327
- geometry model, 343
- ghost fluid, 1049
- Ginzburg-Landau equation, 889
- GPU acceleration, 981
- grid resolution, 925
- heated surface, 233
- high energy x-ray CT scan, 343
- high-speed PIV, 119
- horizontal drilling, 363
- hydraulic nozzles, 697
- hydrodynamic stability, 165
- ignition temperature, 141
- immersed boundaries, 1001
- immersed boundary method, 25
- immiscible plumes, 981
- impact flow field, 363

impingement disk, 725  
impingement distance, 211, 725  
impingement volume flux, 819  
impinging jets, 1079  
inclined wall, 725  
incompressible flow, 1049  
injection, 677  
injection pressure, 211, 725  
injector computation, 1139  
inkjet, 541  
interface, 957  
interface capture, 1001  
internal combustion engines (ICEs), 925  
internal flow characteristics, 343  
internally mixed atomizer, 327  
integrated jet, 363  
jet, 463  
jet breakup, 981  
jet diameter, 663  
kerosene, 745  
Lagrangian approach, 47, 925  
large eddy simulation, 297, 419, 925, 1001  
laser diffraction spectroscopy, 1  
laser-induced exciplex fluorescence (LIEF), 265  
LCV, 1103  
leaky dielectric model, 165  
Leidenfrost drop, 233  
level set, 1049, 1103  
liquid breakup, 1049  
liquid films, 889  
liquid sheets, 165  
macroscopic morphology, 379  
merged angle, 279  
mesh resolution, 419  
micro-jet, 249  
mixed fuel, 141  
model comparison, 763  
modeling, 97, 419, 957  
momentum flux ratio, 279  
morphology, 1103  
multi-hole injector, 861  
multiphase flow, 1001  
multiphase model, 505  
multiphysics, 25  
nonlinear stability, 889  
non-Newtonian, 327  
nozzle effects, 193  
nozzle geometry, 799  
numerical simulation, 463, 861, 1079  
OpenFOAM, 1167  
orthogonal decomposition, 623  
particle image velocimetry (PIV), 443, 697  
petrodiesel, 677  
Phase Doppler Particle Anemometry (PDPA), 697, 799  
planar laser-induced fluorescence (PLIF), 763  
plasma, 475  
PLIF measurements, 763  
polyvinylpyrrolidone solution, 1  
population balance, 505  
porous medium, 165  
prefilming, 401  
pressure impulse, 249  
pressure-swirl atomizer, 279  
pressure-swirl nozzle, 745  
primary atomization, 981, 1001, 1049, 1079, 1139  
pulsation, 1  
pulsing spray characteristics, 623  
pulsed laser, 475  
radiography, 841  
Rayleigh-Plateau mechanism, 1167  
rheology, 1  
RNG  $k-\epsilon$  turbulence model, 363  
rock breakage, 363  
rotary atomization, 589  
Sauter mean diameter (SMD), 643  
secondary atomization, 505  
shadowgraphy, 1, 697  
shear-thinning fluids, 233  
shockwave, 487  
simulation, 1103  
single drop impact, 525  
specific impulse, 745  
spinning disk, 589  
splashing, 525  
spray, 487, 663, 677, 957  
spray characteristics, 193  
spray collapse, 379  
spray interaction, 279  
spray pattern, 265, 605

- spray volume flux, 819  
stability, 401  
stretching factor, 663  
supercritical, 605  
superheat degree, 265, 379  
superheated spray, 119  
surface tension effects, 763  
surface treatment, 25  
swirl, 401  
temporal, 401  
temporal instability, 1167  
thin films, 525  
threedimensional simulation, 343  
thrust, 745  
transcritical, 605  
two-phase, 799, 1049  
two-phase flows, 957  
two-phase jet, 47  
underwater buoyant oil jets, 981  
underwater oil spill, 981  
uniformity, 819  
unsteadiness, 1  
viscoelastic fluids, 889  
velocity distribution, 443  
viscosity effects, 763  
viscous-vortex method, 47  
void fraction, 663  
volume-of-fluid, 249, 1049, 1079, 1139  
wall impingement, 211  
x-ray, 841